

ASSO

FISHING LINE

ASSO FISHING LINE CATALOGUE

SPORT FISHING
PROFESSIONAL FISHING

WWW.ASSOFISHINGLINE.COM





Pursuing excellence since 1973.

Under the skills and experiences acquired in almost 50 years of work, **ASSO** is able to offer a wide range of fishing lines in nylon or fluorocarbon and PE braids, available on the global market.

Every day, consumers from more than 80 countries rely on ASSO, testifying the company's ability to intercept users' technical needs and satisfy them through the launch of new products. The ASSO range includes products with cutting-edge technical characteristics able to meet the needs of the most advanced angler, through the offer of a targeted product that meets the specific needs of each fishing technique. In addition to the high-end multipurpose products, specific lines are available dedicated to the various fishing techniques including fly fishing, carp fishing, professional longline fishing, trout area, ajing and mebaru.

The evolution of Asso fishing lines

The evolution of the ASSO range of fishing lines is marked by a series of milestones in the history of fishing monofilaments:

Early 80s

It is the official start of the evolution of the ASSO range, a decisive step that has made a great contribution to the history of fishing monofilaments.

Late 80s

These were the years when the Italian market welcomed ASSO DI CUORI, the first innovative fishing monofilament wholly made of fluorocarbon, a real innovation for the market at that time.

Early 90s

Gruppo DP introduced ASSO DI QUADRI, a revolutionary monofilament with no memory, which raised the quality standards of the time in Italy and in many European and non-European countries.

Today

The entire production is oriented to the technological excellence. Together with specific products for traditional techniques such as fly fishing, carp fishing and surf casting, others have been developed to meet the most modern trends in the sector such as TROUT AREA, AJING and ULTRA LIGHT FISHING.

Asso product range

The Asso range offers products which stand out for their top level technical features, designed to meet the most sophisticated fishing requirements. Asso offers a wide catalogue of monofilaments in nylon, fluorocarbon and highly specialised PE braided lines. ASSO lines distribution develops on global scale in a capillary manner, through Gruppo DP's network, which is active in 5 continents and more than 80 countries.

+ LEARN MORE ON www.assofishingline.com



ASSO
FISHING LINE














AssoTECHNOLOGY












Attention to technological excellence has always been a constant in the history of the ASSO range, which today offers one of the most complete ranges of nylon or fluorocarbon and PE braided fishing lines available on the global market. In addition to top quality multi-purpose items, other specific lines dedicated to the various fishing techniques are available, including fly fishing, carp fishing, professional longline fishing, trout area, ajing and mebaru.





Each product has specific features which go beyond the data summarised by the diameter and the breaking strength. Our icon system, which can be accessible on the product sheet, allows you to find and fully understand any ASSO fishing line specific feature.




The product safety sheets (with important safety information) are available on-line
www.gruppodp.com/safety








 <p>FLUOROCARBON COATED</p>	<p>Fluorocarbon coating provides the monofilament with an exceptionally smooth and durable surface, making it nearly completely waterproof and abrasion-resistant. The waterproofness keeps the strength unaffected even when the line gets wet, unlike the nylon monofilaments which instead may have a decay up to 15%. Fluorocarbon coated monofilaments combine most of the revolutionary features of fluorocarbon with the excellent dynamic and breaking strength features of nylon, thus constituting a "bridge" product that tends to make the best use of the characteristics of both materials, generally at a lower price compared to pure fluorocarbon monofilaments.</p>
 <p>PARALLEL SPOOLING</p>	<p>The parallel spooling system allows to optimally preserve the physical and mechanical features of the monofilaments. The spooling takes place by means of high precision numerical control machines, overlapping the coils without twisting them, at moderate constant speed and applying a reduced tension to the fibers. The risk of abrasion, tension and crushing is therefore reduced to a minimum.</p>
 <p>HIGH ABRASION RESISTANCE</p>	<p>This line features a particularly consistent surface, which guarantees high abrasion resistance in the event of friction on hard materials such as rocks, trees and obstacles of various kinds or fish bites.</p>
 <p>CAMOUFLAGE MULTICOLOR</p>	<p>Camouflage multicolor lines offer a special camouflage color, which consists of alternating short segments of line with different coloring inside the spool. This coloring, intentionally heterogeneous and irregular, makes the line less visible in water.</p>
 <p>SINKING</p>	<p>Sinking lines feature a high specific weight, which guarantees a greater and more rapid sinking. It also ensures a very precise fishing action in presence of strong winds.</p>
 <p>FLOATING</p>	<p>Floating lines have a reduced specific weight, which slows its sinking in water.</p>
 <p>HIGH VISIBILITY</p>	<p>High visibility lines have a special "solid", fluorescent or particularly lively color that enhances the visibility of the line outside the water, and makes them particularly suitable for night or low light fishing conditions.</p>
 <p>LOW VISIBILITY</p>	<p>These Fluorocarbon or Fluorocarbon coated lines ensure maximum invisibility as the refractive index of fluorocarbon is close to that of water. A good outcome in terms of invisibility is also obtained with the multicolor colouring.</p>
 <p>HIGH STRETCH</p>	<p>High stretch lines are excellent shock absorbers and are particularly suitable to be connected as leaders to PE braids to balance their low elongation. They also favour the bite of particularly suspicious fish.</p>
 <p>LOW STRETCH</p>	<p>Low stretch lines provide greater sensitivity while fishing and better strikes.</p>
 <p>SOFT</p>	<p>Soft lines have a tension-free consistency with a low mechanical memory and, generally, a high smoothness.</p>

 <p>STIFF</p>	Stiff lines provide greater abrasion-resistance and lower stretch. If used as leaders, they allow an excellent arrangement of the bait.
 <p>3-PLY BRAID</p>	The braid is made from three independent fibers braided together so as to ensure optimal density and a surface that is as homogeneous as possible.
 <p>4-PLY BRAID</p>	4-ply braid is the standard for fishing braids. This braid is made from four independent fibers, braided together so as to ensure optimal density and a surface that is as homogeneous as possible.
 <p>8-PLY BRAID</p>	8-ply braid is a cutting-edge braiding technology applied to fishing lines. The high number of fibers used, 8 instead of the traditional 4, guarantees, with the same diameter, a greater compactness of the braid that enhances its softness and smoothness.
 <p>FOR LEADERS</p>	Leader lines feature different characteristics according to the fishing technique used. They guarantee maximum invisibility according to the material or color used, and feature a high breaking strength and abrasion resistance.
 <p>FOR REEL</p>	Reel lines are soft, low memory and smooth tangle-free lines.
 <p>FOR SHOCK LEADERS</p>	These lines perfectly absorb kinetic energy while casting. Being tapered lines, they are perfect for linking together the mainline and the leader.
 <p>FOR REEL + SHOCK LEADERS</p>	These smooth tapered lines allow to have the correct diameter in the reel and the correct diameter in the leader without knots and interruptions.
 <p>SMOOTH CASTING</p>	Smooth casting lines are extremely soft. This great smoothness is given by a special technological treatment.
 <p>HIGH TENACITY</p>	High tenacity lines are technologically tested to resist to extremely high breaking strength.
 <p>NO MEMORY</p>	These lines have no mechanical memory.

 <p>MICRO DIAMETERS</p>	<p>This special technology allows 100% real and constant micro diameters.</p>
 <p>TAPERED STRUCTURE</p>	<p>Lines with tapered structure and variable diameter, generally used as shock leaders. Tapered lines are formed by a variable section of line with a larger diameter, able to better resist the shock of the casting, and by a thin terminal section that matches the fishing line.</p>
 <p>IGFA CLASS</p>	<p>Line which meets the IGFA (International Game Fish Association) requirements or designed so that it does not break above the LB category declared in the technical specifications. These products are suitable to run competitions that take place according to IGFA regulations.</p>
 <p>UV FLUO</p>	<p>UV light fluorescent lines, perfect for night fishing.</p>

 <p>100% FLUOROCARBON</p>	<p>Fluorocarbon is a revolutionary synthetic fiber, with chemical and mechanical properties very different from those of nylon, such as:</p> <ul style="list-style-type: none"> the index of refraction of the light close to that of water, which makes it virtually invisible in immersion; the greater specific weight and higher density compared to a traditional monofilament, which allows it to sink faster and to maintain the fishing position with higher accuracy since it is less sensitive to wind and current; a low elongation, which guarantees a prompt and sensitive strike; insensitivity to low temperatures, which allows fishing up to -40 °C; exceptional resistance to abrasion thanks to a very durable surface that gives considerable protection against rocks and the bites of more aggressive fish.
---	--

WHY CHOOSE FLUOROCARBON?

	<p>High invisibility: because of the closer index of refraction to that of water, It is so invisible that the fish cannot see it in water, they only see the bait!</p>
	<p>More strength in water: Fluorocarbon is waterproof with no water absorption. Fluorocarbon retains 100% of its tensile strength when wet and is also salt proof.</p>
	<p>Great resistance to very low temperatures: anglers can fish at -40°C without any problem.</p>
	<p>Outstanding abrasion resistance: it has a very tough surface offering great protection against rock, brush, snags and sharp toothed species.</p>
	<p>More precision in fishing: as a consequence of its higher weight, it is less affected by tide and wind and remains where cast. Thanks to its natural stiffness, the hooklength stays straight.</p>
	<p>Controlled low stretch: thanks to it, Fluorocarbon has an instant hook setting power.</p>
	<p>Extraordinary sinking speed: its weight, higher than that of the traditional line, makes the fluorocarbon sink quicker and keep the position in the water (less sensitive to the current).</p>

BOAT FISHING

- 11 — TOURNAMENT
- 11 — DOUBLE STRENGTH ULTRASOFT
- 11 — TRIPLE FORCE
- 12 — SENTINEL
- 12 — INVISIBLE CLEAR
- 12 — PINK HUNTER
- 13 — BIG CATCH
- 13 — INVISIBLE BIG GAME
- 13 — INVISIBLE PINK
- 14 — SUPERFLUOROCARBON HIGH STRETCH
- 14 — 8X PE JIGGING MASTER
- 14 — 8X PE PREDATOR
- 17 — 8X PE EVERGREEN
- 17 — 8X PE LURE BRAID
- 17 — 8X PE LIGHT GAMES

SURFCASTING

- 19 — TORNEO
- 19 — KNIGHT
- 19 — PINK HUNTER
- 20 — SENTINEL
- 21 — SURF
- 22 — TAPERED LINE 220M
- 23 — TAPERED SHOCK LEADERS 5X15-10X15M
- 24 — INVISIBLE CLEAR
- 25 — SUPERFLUOROCARBON
- 26 — CLASSIC SHOCK LEADER
- 26 — OBLIVION
- 26 — ULTRAFLEX
- 27 — 8X PE LIGHT GAMES

LIGHT FISHING

- 29 — TROUT AREA NYLON SOFT
- 29 — TROUT AREA NYLON HARD
- 29 — TROUT AREA FLUOROCARBON
- 30 — SUPER AJING SHOCK LEADER
- 30 — SUPER ESTER
- 31 — 3X PE LIGHT GAMES
- 31 — 4X PE SUPER AJING
- 32 — SUPER PE ULTRALIGHT GAMES
- 32 — 8X PE MICRO BRAID
- 33 — 8X PE EGING MASTER
- 33 — 8X PE LIGHT GAMES

CARP FISHING

- 35 — MAINLINE
- 35 — MAINLINE PRO
- 35 — MAINLINE MASTER
- 36 — MAINLINE ABRASION
- 36 — SINKING MAINLINE
- 36 — FLOATER LINE
- 38 — DOUBLE TAPERED MAINLINE
- 38 — FLUOROCARBON MAINLINE
- 38 — SPOD & MARKER
- 40 — TAPERED SHOCK LEADERS 5X15M
- 40 — ZIG FLOATING LINE
- 41 — FLUOROCARBON HOOKLINK
- 41 — CHOD/STIFF RIGS
- 42 — COATED SINKING BRAID HOOKLINK SOFT
- 42 — COATED SINKING BRAID HOOKLINK STIFF
- 43 — CLASSIC SINKING BRAID HOOKLINK SOFT
- 43 — PRO SINKING BRAID HOOKLINK SOFT

FLY FISHING

- 45 — COPOLYMER SOFT
- 45 — STRIKE INDICATOR
- 46 — FLUOROCARBON SOFT
- 47 — TENKARA LEVEL LINE
- 48 — KNOTLESS TAPERED LEADER

- 48 — SALTWATER TAPERED LEADER
- 49 — BASS TAPERED LEADER
- 49 — SALMON & STEELHEAD TAPERED LEADER
- 50 — TROUT TAPERED LEADER
- 51 — FLUOROCARBON TAPERED LINE
- 51 — BACKING LINE

MATCH FISHING

- 53 — FEEDER LINE
- 55 — HERA ULTRASOFT MICHIIITO
- 55 — HERA PERMANENT LENGTH MICHIIITO
- 55 — HERA ULTRASOFT HARISU
- 56 — NEW MICRON 3
- 57 — SINKING

multipurpose 100% FLUOROCARBON

- 59 — FLUOROCASTING
- 59 — INVISIBLE CLEAR
- 59 — INVISIBLE PINK
- 60 — CAMOUFLAGE MULTICOLOR
- 60 — SUPERFLUOROCARBON HIGH STRETCH
- 60 — SUPERFLUOROCARBON
- 61 — CUORI
- 61 — PREMIUM
- 61 — INVISIBLE HARD

multipurpose FLUOROCARBON COATED NYLON

- 63 — FLUOROLIGHT
- 63 — KNIGHT
- 63 — PINK HUNTER
- 65 — SENTINEL

multipurpose NYLON

- 67 — CASTING
- 67 — UNIVERSAL
- 67 — CLASSIC
- 68 — DIAMOND
- 68 — BULLET PROOF
- 71 — ICE FISHING

multipurpose BRAIDED LINES

- 73 — 4X PE POWER BRAID
- 73 — 4X-8X PE CAMOUFLAGE
- 73 — 8X PE PERFECT STORM
- 74 — 8X PE POWER BRAID
- 75 — 8X PE EVERGREEN
- 76 — 8X PE LURE BRAID
- 76 — 8X PE LIGHT GAMES

COMMERCIAL FISHING

- 79 — COOFIL
- 79 — PELOVERME
- 79 — TRAVE
- 81 — POLYASTEEL
- 81 — SUPERSOFT
- 81 — SPADES
- 83 — MAINLINE
- 83 — HARD LINE
- 83 — LEADER
- 85 — SUPER BRACCIOLO
- 85 — TRIPLE FORCE



BOAT FISHING

ASSO TOURNAMENT NYLON LINE

FNASDI250



Asso Tournament is a monofilament designed for I.g.f.a. (International Game Fish Association) competitions and has all the features necessary to compete at a high level including: controlled stretch, exceptional abrasion resistance, toughness and knot strength, long life and excellent uniformity of diameter. Particularly suitable for reel.

IGFA CLASS

ABRASION
RESISTANCE

FOR REEL



LOW STRETCH



PINK - 40

DIAM mm	0.32	0.37	0.40	0.52	0.70	0.90	1.20
TEST/KG	5.44	7.26	9.07	13.6	24.0	36.3	59.0
TEST/LB	12.0	16.0	20.0	30.0	50.0	80.0	130

1000 M

ASSO DOUBLE STRENGTH ULTRASOFT NYLON LINE

FNASDI230



Asso Double Strength Ultrasoft is a deep-sea fishing line suitable for those looking for softness and improved usability, without compromising high resistance and breaking strength. It features an excellent breaking strength/diameter ratio and very high transparency thanks to its slightly opaque shade. A wide range of diameters is available, both in spools and hanks. It's multipurpose and suitable for both reel and leaders.



SOFT



LOW VIS



FOR LEADERS



FOR REEL



HIGH TENACITY



WHITE - 00

DIAM mm	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	1.00
TEST/KG	13.6	18.2	22.7	27.2	31.8	36.3	40.9	45.4	54.5
TEST/LB	30	40	50	60	70	80	90	100	120

DIAM mm	1.10	1.20	1.30	1.50	1.60	1.80	2.00
TEST/KG	68.1	81.7	90.8	113.5	136.2	158.9	181.6
TEST/LB	150	180	200	250	300	350	400

60 M FROM Ø 0.50 TO Ø 1.50
 40 M Ø 1.60
 30 M Ø 1.80
 25 M Ø 2.00
 100 M FROM Ø 0.50 TO Ø 1.00
 1000 M FROM Ø 0.50 TO Ø 1.30

ASSO TRIPLE FORCE NYLON LINE

FNASDI229



Asso Triple Force is a high technology monofilament featuring a very high breaking strength and an extremely hard and tough surface for a very high abrasion resistance level. Its quality is almost unchanged even after many uses in stress conditions. Controlled stretch and great measures make this product complete. Available in two colors, fluo yellow and grey, and also in I.g.f.a contests standards compliant versions. It is multi-purpose and suitable for both reel and terminals.

IGFA CLASS

ABRASION
RESISTANCE

HIGH VIS



FOR LEADERS



FOR REEL



LOW STRETCH



HIGH TENACITY



GREY - 71



WHITE - 00

YELLOW - 13
(ONLY IGFA)

STANDARD

DIAM mm	0.57	0.62	0.74	0.81	0.90	1.04
TEST/KG	25.6	29.9	41.9	49.7	60.4	80.5
TEST/LB	56.5	66.0	92.3	109.5	133.1	177.5

DIAM mm	1.17	1.33	1.47	1.56	1.61	1.83	2.04
TEST/KG	99.5	124.2	151	167.1	181	284	265
TEST/LB	219.4	293.8	332.8	368.0	398	516	583

IGFA

DIAM mm	0.43	0.54	0.70	0.90
TEST/LB	30	50	80	130

STANDARD
 50 M FROM Ø 0.57 TO Ø 1.56
 100 M +
 1000 M FROM Ø 0.57 TO Ø 1.56

* ALL WHITE DIAMETERS ON DEMAND
 DIAMETER 2.04 GREY ON DEMAND

IGFA
 1000 M

ASSO SENTINEL NYLON LINE

FNASDI145



Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!

FLUOROCARBON COATED



WHITE - 00

50 M
150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405
270 M Ø 0.470
220 M Ø 0.520

DIAM mm	0.083	0.104	0.128	0.148	0.165	0.185	0.205	0.235
GO	0.25	0.4	0.6	0.8	1.0	1.2	1.5	2.0
TEST/KG	0.5	0.9	1.4	1.8	2.3	2.7	3.6	4.5
TEST/LB	1	2	3	4	5	6	8	10
DIAM mm	0.260	0.285	0.310	0.330	0.370	0.405	0.470	0.520
GO	2.5	3.0	3.5	4.0	5.0	6.0	8.0	10.0
TEST/KG	5.4	6.4	7.3	9.1	11.4	13.6	18.2	22.7
LB CLASS	12	14	16	20	25	30	40	50


ASSO PINK HUNTER NYLON LINE

FNASDI142



Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!

FLUOROCARBON COATED



PINK - 40

150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.218
GO	0.6	0.8	1.0	1.2	1.5	1.7
LB CLASS	3	4	5	6	7	8
TEST/KG	1.4	1.8	2.3	2.7	3.2	3.6
DIAM mm	0.235	0.260	0.285	0.330	0.370	0.405
GO	2.0	2.5	3.0	3.5	5.0	6.0
LB CLASS	10	12	15	20	25	30
TEST/KG	4.5	5.5	6.8	9.1	11.4	13.6


ASSO INVISIBLE CLEAR 100% FLUOROCARBON

FFASDI120 - FFASDI121



Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

PARALLEL SPOOLING



WHITE - 00

30 M/33 YDS FROM Ø 0.60 TO Ø 1.00
50 M/55 YDS FROM Ø 0.11 TO Ø 0.50

DIAM mm	0.11	0.13	0.15	0.17	0.19	0.21	
TEST/KG	1.1	1.3	1.7	2.3	2.8	3.4	
TEST/LB	2.4	2.9	3.7	5.1	6.2	7.5	
DIAM mm	0.23	0.25	0.28	0.30	0.35	0.40	
TEST/KG	3.8	4.6	5.4	6.0	7.8	10.8	
TEST/LB	8.4	10.1	11.9	13.2	17.2	23.8	
DIAM mm	0.45	0.50	0.60	0.70	0.80	0.90	1.00
TEST/KG	12.2	14.2	21	30	33	40	49
TEST/LB	26.9	31.3	46.3	66.1	72.7	88.2	108

ASSO BIG CATCH 100% FLUOROCARBON

FFASDI100



Asso Big catch is developed for coastal trolling and deep-sea fishing but is also usable for other fishing techniques. It features a smooth and resistant surface which guarantees superior knot strength and optimal abrasion resistance. It is invisible and especially suitable for leaders.

ABRASION
RESISTANCE

LOW VIS



FOR LEADERS



WHITE - 00

50 YDS FROM 10 LB TO 125 LB

DIAM mm	0.249	0.288	0.341	0.405	0.441	0.489	0.625	0.719	0.799	0.915	0.995	1.070
TEST/LB	10	12	15	20	25	30	40	50	60	80	100	125

ASSO INVISIBLE BIG GAME 100% FLUOROCARBON

FFASDI114



Asso Invisible Big Game is a large-diameter trolling fluorocarbon line, suitable for big game and drifting. Diameters are calibrated and can cover very high poundages. This fluorocarbon line is invisible and features a very high abrasion resistance. The type of PvdF used guarantees a particular softness and allows for exceptional knot resistance. Proposed in 20m hanks to facilitate use, especially in large sizes. Particularly suitable for leaders.

ABRASION
RESISTANCE

LOW VIS



FOR LEADERS



WHITE - 00

20 M

DIAM mm	0.50	0.60	0.70	0.85	1.00	1.15	1.30	1.50	1.70	2.00
TEST/KG	13.8	18.4	22.7	31.7	40.8	54.4	68.0	90.7	113	136
TEST/LB	30.0	40.0	50.0	70.0	90.0	120	150	200	250	300

ASSO INVISIBLE PINK 100% FLUOROCARBON

FFASDI123



Fluorocarbon line especially designed for boat fishing. Its pink coloring enhances the typical invisibility of fluorocarbon, especially the first meters underwater. The high abrasion resistance allows boat fishing in any condition. It provides a controlled rigidity to resist changes in sea currents. It is available in a wide range of medium / large diameters and comes packaged on an extra large reel to avoid the mechanical memory in the pre-use phase. Especially suitable for leaders.

ABRASION
RESISTANCE

LOW VIS



FOR LEADERS



PINK - 42

30 M

DIAM mm	0.30	0.35	0.40	0.45	0.50	0.60	0.70	0.80	0.90	1.00
TEST/KG	6.50	8.30	11.3	12.7	14.7	21.0	30.5	33.6	41.0	49.8
TEST/LB	14.3	18.3	24.9	28.0	32.4	46.3	67.2	74.0	90.3	107

ASSO SUPERFLUOROCARBON HIGH STRETCH 100% FLUOROCARBON

FFASDI105



50 M

Fluorocarbon monofilament with high stretch ranging from one and a half to double compared to traditional fluorocarbon monofilaments. Specific for combination with braids and low stretch monofilaments. It allows an optimal bait presentation and a better recovery of the prey. Particularly suitable for leaders.



DIAM mm	0.134	0.156	0.176	0.198	0.219	0.232	0.259	0.280	0.300
TEST/KG	1.49	2.00	2.51	3.13	3.84	4.13	5.18	5.89	6.64
TEST/LB	3.30	4.40	5.50	6.90	8.50	9.10	11.4	13.0	14.6

DIAM mm	0.343	0.409	0.445	0.495	0.595	0.675	0.777	0.818	0.956	1.080
TEST/KG	7.00	9.70	11.0	13.3	18.2	22.2	26.2	28.4	36.3	45.74
TEST/LB	15.4	21.4	24.2	29.3	40.1	49.0	57.7	62.6	80.0	100.75

ASSO 8X PE JIGGING MASTER BRAIDED PE

FTASDI305

100 M
1200 M

Asso jigging master is a 8-ply braided line made with top quality raw material that guarantees its quality and performance over time. It changes color every 10 m, thus allowing to perfectly calibrate the fishing depth. Thanks to the new "round construction" braiding technology, this product presents an incredible and constant roundness, for an improved smoothness and perfect casting. This type of technology ensures an extremely solid braid even after several uses and in presence of any obstacles such as rocks or dense vegetation. Specifically developed for jigging and suitable for reel.

8-PLY BRAID



DARK COLORS

DIAM mm	0.23	0.33	0.40	0.47
TEST/KG	20.8	26.0	31.2	41.6
TEST/LB	45.8	57.2	68.6	91.5
CONSTRUCTION	8X100D	8X125D	8X150D	8X200D

LIGHT COLORS

DIAM mm	0.12	0.14	0.18
TEST/KG	8.30	10.4	15.6
TEST/LB	18.2	22.9	34.3
CONSTRUCTION	8X40D	8X50D	8X75D

MULTICOLOR - A1
BLUE
ORANGE
GREEN
PURPLE
BLACKMULTICOLOR - A0
YELLOW
LIGHT BLUE
ORANGE
GREEN
PINK

ASSO 8X PE PREDATOR BRAIDED PE

FTASDI303

300 M
1800 M

Asso predator is a 8-ply braid made from top quality raw material which ensures quality and performance over time. The new "round construction" technology provides roundness and high smoothness that guarantee perfect casting. This special technology keeps the braid very solid, even after several uses and in presence of rocks and dense vegetation. It virtually has no stretch and is perfect for heavy fishing such as trolling, drifting, big game, etc. etc. Especially suitable for reel.

8-PLY BRAID



BLUE - 56

DIAM mm	0.16	0.18	0.20	0.23	0.28
TEST/KG	13.0	15.6	18.2	20.8	23.4
TEST/LB	28.6	34.3	40.0	45.8	51.5
CONSTRUCTION	4X50D+4x75D	8X75D	4X75D+4X100D	8X100D	4X100D+4X125D

DIAM mm	0.33	0.37	0.40	0.47	0.52	0.62
TEST/KG	26.0	28.6	31.2	41.6	62.4	83.2
TEST/LB	57.2	62.9	68.6	91.5	137.3	183.0
CONSTRUCTION	8X125D	4X125D+4X150D	8X150D	8X200D	8X300D	8X400D





ASSO 8X PE EVERGREEN BRAIDED PE

FTASDI300




130 M
300 M FROM Ø 0.15 TO Ø 0.50
1000 M FROM Ø 0.18 TO Ø 0.58
1800 M

Asso PE 8X Evergreen is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. Especially suitable for reel.

DIAM mm	0.04	0.06	0.08	0.10	0.12	0.15	0.18	0.20
TEST/KG	4.50	5.60	6.20	8.30	9.60	11.8	13.8	16.0
TEST/LB	9.9	12.3	13.6	18.3	21.1	26.0	30.4	35.2
CONSTRUCTION	8X20D	4X20D+4X30D	8X30D	8X40D	8X50D	4X50D+4X75D	8X75D	4X75D+4X100D

DIAM mm	0.24	0.27	0.32	0.36	0.41	0.43	0.50	0.58
TEST/KG	23.9	25.0	27.2	30.7	34.8	42.1	62.3	93.5
TEST/LB	52.6	55.1	59.9	67.6	76.6	92.7	137.2	205.9
CONSTRUCTION	8X100D	6X100D+2X150D	4X100D+4X150D	2X100D+6X150D	8X150D	8X200D	8X300D	8X400D



ASSO 8X PE LURE BRAID BRAIDED PE

FTASDI301




150 M
300 M
1800 M

Asso Lure Braid is a perfectly refined 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. 8-ply construction for better roundness. Zero stretch even in the micro-sizes. High abrasion resistance even in presence of dense vegetation. Suitable for lure fishing. Especially indicated for reel.


DIAM mm	0.06	0.08	0.10	0.12	0.14
TEST/KG	4.5	5.6	6.2	8.3	10.4
TEST/LB	9.9	12.3	13.6	18.2	22.9
CONSTRUCTION	8X20D	4X20D+4X30D	8X30D	8X40D	8X50D

DIAM mm	0.16	0.18	0.20	0.23	0.28	0.32
TEST/KG	13.0	13.8	16.0	23.9	25.0	27.2
TEST/LB	28.6	30.4	35.2	52.6	55.1	59.9
CONSTRUCTION	4X50D+4X75	8X75D	4X75D+4X100D	8X100D	6X100D+2X150D	100X4D+150X4D



ASSO 8X PE LIGHT GAMES BRAIDED PE

FTASDI326



150 M MLC AK ONLY UP TO 4.0 GO
300 M
600 M ONLY MLC AK FROM 0.8 GO

Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.235
TEST/KG	6.35	7.26	9.07	11.34	13.61	18.14
TEST/LB	14	16	20	25	30	40
CONSTRUCTION	4X10D + 4X20D	8X20D	4X20D + 4X30D	8X30D	8X40D	8X50D
PE SIZE	0.6	0.8	1.0	1.2	1.5	2.0

DIAM mm	0.260	0.285	0.330	0.370	0.405	0.470
TEST/KG	20.40	22.68	27.21	31.75	36.29	45.36
TEST/LB	45	50	60	70	80	100
CONSTRUCTION	4X50D + 4X75D	8X75D	8X100D	8X125D	8X150D	8X200D
PE SIZE	2.5	3.0	4.0	5.0	6.0	8.0





SURFCASTING

ASSO TORNEO NYLON LINE

FNASDI271



Designed for tournament casting, this line is supple and smooth with accurate diameters. Available in the 4 casting diameters; each diameter is a different colour meaning you can tell the diameter of a reels line just by looking at it.

AVAILABLE ON DEMAND



BLUE - 50 FLUO

DIAM mm	0.25	0.28	0.31	0.35
M	8514	6787	5537	4344

0.5 KG

ASSO KNIGHT NYLON LINE

FNASDI291



High tenacity Japanese line suitable for both day and night fishing thanks to its hi-vis color and fluorescence to UV light. The fluorocarbon coating ensures great abrasion resistance. The low memory makes it perfect for casting.

UV FLUO

FLUOROCARBON COATED



HIGH TENACITY



GREEN - 61 FLUO

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.218
GO	0.6	0.8	1.0	1.25	1.5	1.75
TEST/KG	0.9	1.4	1.8	2.3	2.7	3.2
LB CLASS	2.0	3.0	4.0	5.0	6.0	7.0

DIAM mm	0.235	0.260	0.285	0.310	0.330	0.370	0.405
GO	2.0	2.5	3.0	3.5	4.0	5.0	6.0
TEST/KG	3.6	4.5	5.4	6.4	6.8	8.2	9.1
LB CLASS	8.0	10.0	12.0	14.0	16.0	18.0	20.0

150 M
300 M
1200 M FROM Ø 0.128 TO Ø 0.370
1000 M Ø 0.405

ASSO PINK HUNTER NYLON LINE

FNASDI142



Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!

FLUOROCARBON COATED



PINK - 40

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.218
GO	0.6	0.8	1.0	1.2	1.5	1.7
LB CLASS	3	4	5	6	7	8
TEST/KG	1.4	1.8	2.3	2.7	3.2	3.6

DIAM mm	0.235	0.260	0.285	0.330	0.370	0.405
GO	2.0	2.5	3.0	3.5	5.0	6.0
LB CLASS	10	12	15	20	25	30
TEST/KG	4.5	5.5	6.8	9.1	11.4	13.6

150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405



ASSO SURF NYLON LINE

FNASDI043



This special copolymer is especially designed for surfcasting, guaranteeing a longer casting distance, high abrasion resistance, high visibility and great performances also in extreme weather conditions. Available in I.g.f.a contests standards compliant versions.

IGFA CLASS



ABRASION
RESISTANCE



HIGH VIS



SMOOTH



BLUE - 54

* I.G.F.A.

DIAM mm	0.12*	0.14	0.16*	0.18	0.20*	0.23*	0.26	0.28*
TEST/LB	2	3	4	5	6	8	10	12

DIAM mm	0.30	0.34*	0.39*
TEST/LB	14	16	20

300 M FROM Ø 0.12 TO Ø 0.39
1000 M FROM Ø 0.12 TO Ø 0.39
2000 M Ø 0.26
2500 M Ø 0.23
3000 M FROM Ø 0.12 TO Ø 0.20



ASSO SENTINEL NYLON LINE

FNASDI145

Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!



50 M
150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405
270 M Ø 0.470
220 M Ø 0.520

DIAM mm	0.083	0.104	0.128	0.148	0.165	0.185	0.205	0.235
GO	0.25	0.4	0.6	0.8	1.0	1.2	1.5	2.0
TEST/KG	0.5	0.9	1.4	1.8	2.3	2.7	3.6	4.5
TEST/LB	1	2	3	4	5	6	8	10
DIAM mm	0.260	0.285	0.310	0.330	0.370	0.405	0.470	0.520
GO	2.5	3.0	3.5	4.0	5.0	6.0	8.0	10.0
TEST/KG	5.4	6.4	7.3	9.1	11.4	13.6	18.2	22.7
LB CLASS	12	14	16	20	25	30	40	50

FLUOROCARBON COATED

ABRASION
RESISTANCE

HIGH TENACITY



SOFT



LOW STRETCH



SINKING



SMOOTH




WHITE - 00



ASSO TAPERED LINE NYLON LINE

FNASDI26B



220 M

Asso Tapered Line is a 220 m tapered monofilament with a built-in 20m tapered leader. Colors alternate every 25 m (white, blue, yellow, red) to get even greater control on the cast distance, ensuring you keep putting your bait in the same place. It features an extra-smooth surface and is specifically developed as a shock absorber in the launch phase. A wide range of diameters is available. Especially suitable for reel.

ORANGE

DIAM mm	0.16-0.57	0.18-0.57	0.20-0.57	0.23-0.57
TEST/LB	4-50	5-50	6-50	8-50

MULTICOLOR

DIAM mm	0.14-0.37	0.14-0.57	0.16-0.47	0.16-0.57	0.18-0.50
TEST/LB	3-20	3-50	4-35	4-50	5-40
DIAM mm	0.18-0.57	0.20-0.57	0.23-0.57	0.26-0.57	0.35-0.70
TEST/LB	5-50	6-50	8-50	10-50	18-80

TAPERED STRUCTURE



FOR REEL
+ SHOCK LEADERS



FOR REEL



MULTICOLOR - AB
WHITE, BLUE, YELLOW AND RED
ONE COLOR EVERY 25 METERS,
AND LAST 20 M TAPERED LINE



ORANGE - 21



ASSO TAPERED SHOCK LEADERS 5X15M-10X15M NYLON LINE

FNASDI263




PINK SOLID

5X15 M
10X15 M

5X15:
WHITE: IN STOCK UP TO 0.25-0.45
ORANGE: IN STOCK 0.16-0.45, 0.18-0.50
AND FROM 0.20-0.57 TO 0.25-0.45
10X15:
WHITE: IN STOCK UP TO 0.25-0.45
ORANGE: IN STOCK 0.16-0.45, 0.18-0.50
AND FROM 0.20-0.57 TO 0.25-0.45
PINK: IN STOCK 0.16-0.57 AND FROM 0.18-57 TO 0.23-0.57
ALL OTHER COLORS AND DIAMETERS: ON DEMAND

Asso shock leaders are designed to guarantee longer castings and naturally absorb the casting stress, even after long-term use. Available in 4 different colors and a wide range of sizes to meet any need. Particularly suitable for leaders.

**5X15 M**

DIAM mm	0.16-0.45	0.18-0.50	0.18-0.57	0.20-0.57
TEST/LB	4-25	5-30	5-45	6-45
DIAM mm	0.23-0.57	0.25-0.45	0.30-0.50	0.35-0.65
TEST/LB	8-45	10-25	12-30	15-50
DIAM mm	0.35-0.70	0.38-0.75		
TEST/LB	15-60	18-70		

10X15 M

DIAM mm	0.16-0.45	0.16-0.57	0.18-0.50	0.18-0.57	0.20-0.57
TEST/LB	4-25	4-45	5-30	5-45	6-45
DIAM mm	0.23-0.57	0.25-0.45	0.30-0.50	0.35-0.65	
TEST/LB	8-45	10-25	12-30	15-50	
DIAM mm	0.35-0.70	0.38-0.75			
TEST/LB	15-60	18-70			

TAPERED STRUCTURE

FOR LEADERS
+ SHOCK LEADERS

HIGH VIS



FOR LEADERS



YELLOW - 13



ORANGE - 21



WHITE - 00

PINK - 40 SOLID
(ONLY 10X15M)RED - 32
(ONLY 5X15M)



ASSO INVISIBLE CLEAR 100% FLUOROCARBON

FFASDI120 - FFASDI121



Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

PARALLEL SPOOLING

ABRASION
RESISTANCE

LOW VIS



LOW STRETCH



FOR LEADERS



WHITE - 00

DIAM mm	0.11	0.13	0.15	0.17	0.19	0.21
TEST/KG	1.1	1.3	1.7	2.3	2.8	3.4
TEST/LB	2.4	2.9	3.7	5.1	6.2	7.5

DIAM mm	0.23	0.25	0.28	0.30	0.35	0.40
TEST/KG	3.8	4.6	5.4	6.0	7.8	10.8
TEST/LB	8.4	10.1	11.9	13.2	17.2	23.8

DIAM mm	0.45	0.50	0.60	0.70	0.80	0.90	1.00
TEST/KG	12.2	14.2	21	30	33	40	49
TEST/LB	26.9	31.3	46.3	66.1	72.7	88.2	108

30 M/33 YDS FROM Ø 0.60 TO Ø 1.00
50 M/55 YDS FROM Ø 0.11 TO Ø 0.50



ASSO SUPERFLUOROCARBON 100% FLUOROCARBON

FFASDI130



Very soft and extremely tough next-gen fluorocarbon line, featuring an innovative PVDF and a cutting-edge extrusion process. It has a smooth and pasty surface to ensure perfect knots and controlled stretch. Line specifically designed for professional anglers, but can also be used successfully by rookies thanks to the great softness that makes it easy to use. Especially suitable for leaders.

ABRASION
RESISTANCE

LOW VIS



SOFT



FOR LEADERS



WHITE - 00

DIAM mm	0.10	0.13	0.15	0.17	0.19	0.21
TEST/KG	0.80	1.64	2.10	2.60	3.10	3.80
TEST/LB	1.80	3.60	4.60	5.70	6.80	8.30
DIAM mm	0.23	0.25	0.28	0.30	0.35	0.40
TEST/KG	4.30	5.30	6.00	6.90	8.70	12.0
TEST/LB	9.40	11.6	13.2	15.2	19.2	26.4


50 M

ASSO CLASSIC SHOCK LEADER NYLON LINE

FNASDI260



Asso Classic Shock Leader è prodotto con un copolimero di nylon di prima qualità. Ideale come shock leader, ha una superficie molto dura e resistente che assorbe stress e shock anche dopo molti utilizzi in condizioni estreme. Allungamento controllato in rapporto a una buona rigidità. Privo di memoria permette di eseguire nodi con facilità. Particolarmente indicato per terminali.



50 M

DIAM mm	0.65	0.70	0.80
TEST/LB	50	60	70

ASSO OBLIVION NYLON LINE

FNASDI044



This nylon monofilament with no mechanical memory is extremely soft and allows even beginners to make perfect knots. It's a perfect shock leader, also available in large diameters to cover the needs of different disciplines. Especially suitable for leaders.



100 M/110 YDS


DIAM mm	0.40	0.45	0.50	0.55	0.60
TEST/LB	15	20	25	30	40

ASSO ULTRAFLEX NYLON LINE

FNASDI021



Asso Ultraflex is an extremely soft nylon monofilament with no mechanical memory, which allows to make perfect knots. Its excellent ductility makes it easy to handle even for beginners. Suitable for branch lines and perfect as shock leader and ring making. Available in high poundage, suitable for various disciplines. Unlike most soft lines, Asso Ultraflex features a very low stretch and accentuated flexibility. Transparent white and fluo orange colors. Particularly suitable for leaders.



65 M
WHITE FROM Ø 0.60 TO Ø 0.80
ORANGE FROM Ø 0.65 TO Ø 0.80

DIAM mm	0.60	0.65	0.70	0.75	0.80
TEST/LB	40	50	60	70	80



ASSO 8X PE LIGHT GAMES BRAIDED PE

FTASDI326



Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

8-PLY BRAID

ABRASION
RESISTANCE

HI VIS



FOR LEADERS



FOR REEL



SMOOTH



GREEN - 62



GREEN - 6A




MULTICOLOR - AK
10M WHITE/GREEN TAG
10M GREEN/PINK TAG
10M RED/GREEN TAG
10M PINK/GREEN TAG
10M BLUE/GREEN TAG

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.235
TEST/KG	6.35	726	9.07	11.34	13.61	18.14
TEST/LB	14	16	20	25	30	40
CONSTRUCTION	4X10D + 4X20D	8X20D	4X20D + 4X30D	8X30D	8X40D	8X50D
PE SIZE	0.6	0.8	1.0	1.2	1.5	2.0

DIAM mm	0.260	0.285	0.330	0.370	0.405	0.470
TEST/KG	20.40	22.68	27.21	31.75	36.29	45.36
TEST/LB	45	50	60	70	80	100
CONSTRUCTION	4X50D + 4X75D	8X75D	8X100D	8X125D	8X150D	8X200D
PE SIZE	2.5	3.0	4.0	5.0	6.0	8.0

150 M MLC AK ONLY UP TO 4.0 GO
300 M
600 M ONLY MLC AK FROM 0.8 GO





LIGHT FISHING


ASSO TROUT AREA NYLON SOFT NYLON LINE

FNASDIT01



Asso Trout Area Nylon Soft is a top quality monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. Very soft and suitable for trout area game. This line features a smooth surface for better castings and very high abrasion resistance, even in stress conditions. Very sensitive and with low stretch, perfect in conditions with underactive fish. Especially suitable for reel.

IDEAL FOR TROUT AREA



GREEN - 64

DIAM mm	0.104	0.128	0.148	0.165
GO	0.4	0.6	0.8	1.0
LB	2	3	4	5

100 M


ASSO TROUT AREA NYLON HARD NYLON LINE

FNASDIT02



Asso Trout Area Nylon Hard is a top quality monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It is very stiff and perfect for trout area game. This line features a smooth surface for better castings and very high abrasion resistance, even in stress conditions. Its low stretch allows a better sensitivity. Perfect in conditions with very active fish. Especially suitable for reel.

IDEAL FOR TROUT AREA



GREY - 73

DIAM mm	0.104	0.128	0.148	0.165
GO	0.4	0.6	0.8	1.0
LB	2	3	4	5

100 M


ASSO TROUT AREA FLUOROCARBON 100% FLUOROCARBON

FFASDIT04



Asso Trout Area Fluorocarbon is a 100% fluorocarbon monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It is very sensitive with basically zero stretch. Excellent linear and knot resistance, also thanks to the extremely strong surface which guarantees above average resistance to stress and abrasion. It's very soft and allows long castings even with light baits. Clear coloring for excellent transparency. Especially suitable for reel.

IDEAL FOR TROUT AREA



WHITE - 00

DIAM mm	0.093	0.104	0.117	0.128	0.148
GO	0.3	0.4	0.5	0.6	0.8
TEST/LB	15	1.75	2	3	4

100 M

ASSO AJING SHOCK LEADER 100% FLUOROCARBON

FFASDIT07



Asso Super Ajing Shock Leader is a 100% fluorocarbon monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It's very sensitive and perfect for ajing game. Also perfect as shock leader. Thin diameters with high linear and knot breaking strength. Excellent abrasion resistance. Clear coloring for excellent transparency. Especially suitable for leaders.

IDEAL FOR AJING MICRO DIAMETERS



FOR SHOCK
LEADERS



FOR LEADERS



WHITE - 00

DIAM mm	0.093	0.104	0.117	0.128	0.148
GO	0.3	0.4	0.5	0.6	0.8
TEST/LB	1.5	1.75	2.0	3.0	4.0

30 M

ASSO SUPER ESTER ESTER

FPASDIT05



Asso Super Ester is a monofilament produced with a heavier than nylon raw material which ensures a great sinking speed. It is a super stiff line with zero stretch which makes it very sensitive when biting, perfect when using micro-spoons. Its smooth and resistant surface allows long and precise castings, even with small baits. Especially suitable for reel.



FOR REEL



LOW STRETCH



HARD



SINKING



WHITE - 02 FLUO

DIAM MM	0.074	0.082	0.090	0.104	0.117	0.128
GO	0.2	0.25	0.3	0.4	0.5	0.6
TEST/LB	1.00	1.25	1.50	2.00	2.50	3.00

200 M



ASSO 3X PE LIGHT GAMES BRAIDED PE

FTASDI308



3-ply braid particularly suitable for light fishing styles such as finesse, trout area and light game. Available in ultra-thin diameters suitable for fishing techniques with light equipment. Very tenacious, it has zero elongation and guarantees high visibility. Built with superior quality fibers that guarantee the maintenance of performance even after intense use. Especially suitable for reel.

3-PLY BRAID

MICRO DIAMETERS



GREEN - 62

DIAM mm	0.02	0.04	0.06	0.08
TEST/KG	1.82	2.72	3.63	4.54
TEST/LB	4	6	8	10
CONSTRUCTION	3X20D	3X30D	3X40D	3X50D

100 M

ASSO 4X PE SUPER AJING BRAIDED PE

FTASDIT06




Asso Super Ajing Pe 4x is a 4-ply braid produced with top quality raw material to guarantee top quality and performance over time. The next-gen braiding system makes this product extremely abrasion resistant. It's especially designed for ajing game and other light game techniques. Diameters are very thin and provide high sensitivity, allowing to perceive every bite. The high sensitivity also allows longer casts. It sinks very quickly thanks to the high specific weight of the fibers. Available in orange high visibility coloring. Especially suitable for reel.

4-PLY BRAID

IDEAL FOR AJING

MICRO DIAMETERS



ORANGE - 22

DIAM mm	0.074	0.086	0.104	0.117	0.128
PE SIZE	0.2	0.3	0.4	0.5	0.6
TEST/LB	3.0	5.0	6.0	8.0	10.0

CONSTRUCTION	4x10D	4x15D	4x20D	4x25D	4x30D
--------------	-------	-------	-------	-------	-------

150 M

ASSO SUPER PE ULTRALIGHT GAMES BRAIDED PE

FTASDI328



Japanese 4-ply braided line developed with latest generation fibers and braiding techniques that guarantee high abrasion resistance, smoothness and high performance. Suitable for all ultra light spinning techniques such as street fishing, rock fishing, flats fishing and trout area, where thin diameters and sensitivity are the basis of the fishing philosophy and results.

DIAM mm	0.074	0.090	0.104	0.117	0.128
TEST/KG	1.60	2.10	2.90	3.30	4.50
TEST/LB	3.0	5.0	6.0	8.0	10.0
CONSTRUCTION	4X10D	4X15D	4X20D	4X25D	4X30D
PE SIZE	0.2	0.3	0.4	0.5	0.6

4-PLY BRAID MICRO DIAMETERS



GREEN - 62

150 M

ASSO 8X PE MICRO BRAID BRAIDED PE

FTASDI302




Asso Microbraid is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "pro-glide" technology offers great smoothness and ensures longer casts. It also provides high abrasion resistance, especially in presence of dense vegetation. Particularly suitable for light fishing styles such as finesse, trout area and light game. Perfect for reel.

DIAM mm	0.06	0.08	0.10	0.12	0.14
TEST/KG	4.5	5.6	6.2	8.3	10.4
TEST/LB	9.9	12.3	13.6	18.2	22.9
CONSTRUCTION	8X20D	4X20D+4X30D	8X30D	8X40D	8X50D

DIAM mm	0.16	0.18	0.20	0.23
TEST/KG	13.0	15.6	18.2	20.8
TEST/LB	28.6	34.3	40.0	45.8
CONSTRUCTION	4X50D+4X75	8X75D	8X75D+4X100D	8X100D

8-PLY BRAID MICRO DIAMETERS



BROWN - 84



150 M
1800 M

ASSO 8X PE EGING MASTER BRAIDED PE

FTASDI315



Asso 8xPE8 Eging Master is a perfectly refined 8-ply braid made from ultra-thin and resistant nanofibers. The innovative braiding system ensures extreme solidity. The braid is soft and silky. The surface is perfectly round and guarantees incredible smoothness and no sound while passing through the rod rings. The special pink coloring makes it particularly suitable for eging. Especially suitable for reel.

8-PLY BRAID



PINK - 43

DIAM mm	0.128	0.148	0.165	0.185
GO	0.6	0.8	1	12
TEST/KG	6.35	7.26	9.07	11.34
TEST/LB	14	16	20	25
CONSTRUCTION	8x15D	8X20D	8x25D	8X30D

120 M

ASSO 8X PE LIGHT GAMES BRAIDED PE

FTASDI326



NEW PACKAGING

Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

8-PLY BRAID




GREEN - 62



GREEN - 6A



MULTICOLOR - AK
10M WHITE/GREEN TAG
10M GREEN/PINK TAG
10M RED/GREEN TAG
10M PINK/GREEN TAG
10M BLUE/GREEN TAG



DIAM mm	0.128	0.148	0.165	0.185	0.205	0.235
TEST/KG	6.35	7.26	9.07	11.34	13.61	18.14
TEST/LB	14	16	20	25	30	40
CONSTRUCTION	4X10D + 4X20D	8X20D	4X20D + 4X30D	8X30D	8X40D	8X50D
PE SIZE	0.6	0.8	1.0	1.2	1.5	2.0

DIAM mm	0.260	0.285	0.330	0.370	0.405	0.470
TEST/KG	20.40	22.68	27.21	31.75	36.29	45.36
TEST/LB	45	50	60	70	80	100
CONSTRUCTION	4X50D + 4X75D	8X75D	8X100D	8X125D	8X150D	8X200D
PE SIZE	2.5	3.0	4.0	5.0	6.0	8.0

150 M MLC AK ONLY UP TO 4.0 GO

300 M

600 M ONLY MLC AK FROM 0.8 GO



CARP FISHING

ASSO MAINLINE NYLON LINE

FNASDI273



Asso Mainline is a nylon standard monofilament enhanced to meet all the needs of carp anglers. High smoothness and ease in casting thanks to its smooth surface. Good linear and knot strength even in stress conditions. Available in two different colors for the best camouflage. Especially suitable for reel.

CARP LINE



ABRASION
RESISTANCE



FOR REEL



GREEN - 60



WHITE - 00

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	10	12	16	20

1000 M

ASSO MAINLINE PRO NYLON LINE

FNASDI272



Asso Mainline Pro is a top quality nylon line improved to meet all the needs of carp anglers. High smoothness and easy casting thanks to the smooth surface. It features perfect linear and knot strength, even in stress conditions. It's extremely soft and flexible, has no mechanical memory and is perfect even for beginners, having an excellent sinking index combined with high abrasion resistance. Available in 2 different colors for the best camouflage. Especially suitable for reel.

CARP LINE



ABRASION
RESISTANCE



FOR REEL



LOW STRETCH



NO MEMORY



SINKING



GREEN - 6E



BROWN 87

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	10	12	16	20

1000 M

ASSO MAINLINE MASTER NYLON LINE

FNASDI274



Asso Mainline Master is a fluorocarbon coated nylon monofilament designed to ensure the best performance possible. It encloses in a single product all the most important features that a carp fishing line must have. Its remarkable softness makes it extremely flexible and durable and, thanks to the fluorocarbon coating, it has an extraordinary resistance to abrasion. The higher specific weight compared to a normal nylon and the smooth surface that easily cuts the water make it perfectly sink and rest on the seabed. Thanks to its solid structure it doesn't curl, is tangle-free and has zero stretch. The fluorocarbon coating ensures an extremely smooth surface, guaranteeing easy casting and excellent smoothness. Available in two colors, for every fishing condition. Especially suitable for leaders.

CARP LINE

FLUOROCARBON COATED



ABRASION
RESISTANCE



FOR REEL



LOW STRETCH



HIGH TENACITY



SOFT



SMOOTH



GREEN - 6E



BROWN 87

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	10	12	16	20

1000 M

ASSO MAINLINE ABRASION NYLON LINE

FNASDI276



Asso Mainline Abrasion is a silicone coated nylon monofilament 12 times more abrasion resistant than traditional high quality nylon lines. It's the best solution for those anglers who fish in sites where vegetation and rocks make fishing difficult. The excellent resistance ensures great durability and reliability. Tangle-free thanks to its no mechanical memory. The smooth and silky surface allows to make perfect knots. Available in three different colors for maximum camouflage. Especially suitable for reel.

CARP LINE



BICOLOR - A6

BROWN - 82

RED - 31

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	10	12	16	20

1000 M

ASSO SINKING MAINLINE NYLON LINE

FNASDI278



Asso Sinking Mainline is the definitive answer to those looking for a sinking line. More material has been added during the extrusion stage to enhance the specific weight. Its oily and smooth surface allows to cut the water surface, preventing friction that can limit sinking. It has no memory and this allows the line to perfectly rest on sea-beds avoiding tangles. Excellent abrasion resistance and very low stretch. Perfect coloring for a camouflage effect in all those environments with dense vegetation. Especially suitable for reel.

CARP LINE



BROWN - 89

DIAM MM	0.28	0.30	0.35	0.40
TEST/LB	10	12	16	20

1000 M

ASSO FLOATER LINE NYLON LINE

FNASDI280



Asso floater line is a top quality nylon monofilament specifically developed for carp fishing and designed to be used as mainline in case of surface fishing, or as hooklink. This monofilament is pitted to increase its flotation factor, but with extreme resistance to stress. The transparent coloring gives an extra advantage. Especially suitable for leaders.

CARP LINE

PARALLEL SPOOLING



WHITE - 00

DIAM MM	0.26	0.28
TEST/LB	10	12

200 M



ASSO DOUBLE TAPERED MAINLINE NYLON LINE

FNASDI265



Asso Double Tapered Mainline is a top quality nylon monofilament with 2 leaders on the ends so that if you lose a leader you can simply reverse the line to use the other end. Perfect for distance casting, especially for waters with a ban on tied leaders. The extremely smooth and strong surface guarantees an abrasion resistance similar to that of silicone lines. Available in green coloring for less visibility. Especially suitable for reel.

mt 5	mt 7	mt 300	mt 7	mt 5
------	------	--------	------	------

DIAM mm	0.30-0.50	0.33-0.50
TEST/LB	12-35	15-35

324 M

CARP LINE

TAPERED STRUCTURE



FOR REEL

ABRASION RESISTANCE

LOW-VIS



HIGH TENACITY



GREEN - 6E

ASSO FLUOROCARBON MAINLINE 100% FLUOROCARBON

FFASDI137



Asso Fluorocarbon Mainline is a top quality fluorocarbon line. Thanks to the intrinsic characteristics of fluorocarbon, the line guarantees excellent sinkability and superior abrasion resistance compared to traditional nylon. The smooth surface cuts the surface of the water, avoiding frictions that can limit the sinking. Very low visibility and almost zero stretch to ensure the best performance. Parallel spooling allows the line to maintain quality over time. The absolute insensitivity to temperatures allows to fully exploit its characteristics even in prohibitive climatic conditions. Particularly suitable for reel.

PARALLEL SPOOLING

CARP LINE



ABRASION RESISTANCE

LOW VIS

CAMOUFLAG



LOW STRETCH



FOR REEL



SMOOTH



SINKING



WHITE - 00

200 M

DIAM mm	0.294	0.316	0.350	0.384
TEST/LB	12	14	16	20

ASSO SPOD & MARKER BRAIDED PE

FTASDI320



Created with top quality PE fibers, Asso Spod & Marker Braid makes Carp Fishing easier thanks to longer casting, low elongation factor and great durability. Floating Braid. It makes it easier to recover spomb or other rockets. Especially suitable for reel.

4-PLY BRAID

CARP LINE



FOR REEL

FLOATING

HI VIS



LOW STRETCH



BROWN - 84



YELLOW - 10

300 M

DIAM mm	0.20	0.24	0.27
TEST/LB	20	25	30




ASSO TAPERED SHOCK LEADERS 5X15M NYLON LINE

FNASDI263



Asso shock leaders are designed to guarantee longer castings and naturally absorb the casting stress, even after long-term use. Available in 3 different colors and a wide range of sizes to meet any need. Particularly suitable for leaders.



5X15 M

RED ONLY DIAMETERS FROM 0.35-0.65 TO 0.38-0.75

DIAM mm	0.30-0.50	0.35-0.65	0.35-0.70	0.38-0.75
TEST/LB	12-30	15-50	15-60	18-70

CARP LINE

TAPERED STRUCTURE



FOR LEADERS
+ SHOCK LEADERS



HIGH VIS



FOR LEADERS



YELLOW - 13



ORANGE - 21



WHITE - 00



RED - 32

ASSO ZIG FLOATING LINE NYLON LINE

FNASDI281



Asso Zig floating is a top quality nylon floating line, perfect for fishing with a zig rig. The clear coloring ensures very low visibility also thanks to its refractive index, close to zero when in contact with the water surface. It's extremely resistant to abrasion and features good linear and knot strength. Especially suitable for leaders.

CARP LINE



FLOATING



FOR LEADERS



LOW VIS



ABRASION
RESISTANCE



WHITE - 00

50 M

DIAM MM	0.227	0.255	0.281
TEST/LB	8	10	12

ASSO FLUOROCARBON HOOKLINK 100% FLUOROCARBON

FFASDI138

Asso Fluorocarbon Hooklink is a 100% fluorocarbon soft and flexible line. Virtually invisible under water, it sinks quickly and disappears as it descends deep. Especially suitable for leaders.



CARP LINE



DIAM mm	0.281	0.306	0.326	0.389
TEST/LB	10	15	20	25

20 M

ASSO CHOD/STIFF RIGS ESTER

FPASDI25A

Asso Chod/Stiff Rigs is a stiff line, with a lot of memory, easy to manipulate to get the desired shape and curvature and form perfect rigs. Very resistant to abrasion, it maintains a high knot strength and is practically invisible under water. Difficult to expel once the bait is swallowed. Especially suitable for leaders.



CARP LINE



DIAM MM	0.30	0.35	0.40
TEST/LB	15	20	25

20 M

ASSO COATED SINKING BRAID HOOKLINK SOFT BRAIDED LINE

FTASDI323



Asso Coated Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. The soft coating makes the braid very soft, guaranteeing minimum rigidity and offering great flexibility which prevents the line from tangling and provides very high abrasion resistance. The innovative braiding system makes it very strong and ensures structural solidity, allowing to easily make excellent knots. Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

CARP LINE



10 M

TEST/LB	15	25	35	45
---------	----	----	----	----


ASSO COATED SINKING BRAID HOOKLINK STIFF BRAIDED LINE

FTASDI324



Asso Coated Sinking Braid Hooklink Stiff is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. The stiff coating makes the braid very rigid. High abrasion resistance is guaranteed and the innovative braiding system provides an improved strength, ensuring structural solidity. Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

CARP LINE



10 M

TEST/LB	15	25	35	45
---------	----	----	----	----

ASSO CLASSIC SINKING BRAID HOOKLINK SOFT BRAIDED LINE

FTASDI321



Asso Classic Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. Thanks to its exceptional softness it is very easy to use and knot and therefore also suitable for rookies. High abrasion resistance thanks to the innovative braiding system that guarantees its structural solidity.

Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

CARP LINE



20 M

TEST/LB	15	25	35	45
---------	----	----	----	----

ASSO PRO SINKING BRAID HOOKLINK SOFT BRAIDED LINE

FTASDI322



Asso Pro Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. Thanks to its exceptional softness it is very easy to use and knot and therefore also suitable for rookies. High abrasion resistance thanks to the innovative braiding system that guarantees its structural solidity.

Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Multicolor coloring for perfect camouflage. Especially suitable for leaders.

CARP LINE



20 M

TEST/LB	15	25	35	45
---------	----	----	----	----



FLY FISHING

ASSO COPOLYMER SOFT NYLON LINE

FNASDI090



Asso Copolymer Soft is a next-gen fluorocarbon coated line that ensures maximum softness, durability and toughness. Its colouring is invisible to fish and the diameter range is very wide. It has no memory and is available in a brand new ultra-thin spool format for easy storage, with colored identification elastic band. Especially suitable for leaders.

IDEAL FOR FLY FISHING

FLUOROCARBON COATED



FOR LEADERS



SOFT



LOW VIS



NO MEMORY



GREY - 70

MISURA		7X	6X		5X	4X	3X	2X		1X	0X
DIAM mm	0.08+	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.24+	0.26	0.28
TEST/KG	0.6	1.0	1.4	1.9	2.3	2.9	3.6	4.3	5.0	5.8	6.7
TEST/LB	1.2	2.2	3.1	4.2	5.1	6.4	7.9	9.5	11.0	12.8	14.8
ELASTIC BAND											

50 M
• ON DEMAND

ASSO STRIKE INDICATOR NYLON LINE

FNASDI092



Asso Strike Indicator is a bicolor silicone nylon monofilament with a high visibility color combination developed for European Nymphing. Colors alternate every 50 cm allowing to prepare very performing strike indicators. It features a smooth and sliding surface and is perfect in case of strong current conditions. The compound is extremely pasty and guarantees a higher abrasion resistance. Especially designed for fly fishing and suitable for leaders.

IDEAL FOR FLY FISHING

PARALLEL SPOOLING



HI VIS



FOR LEADERS



LOW STRETCH

	35 CM	15 CM	35 CM	15 CM	35 CM	
MULTICOLOR - AP						
	25 CM	25 CM	25 CM	25 CM		
MULTICOLOR - AQ						
	50 CM	50 CM	50 CM	50 CM		
BICOLOR - A2						

DIAM mm	0.14	0.16	0.18	0.20	0.22	0.24	0.28
TEST/KG	1.7	2.1	2.5	3.0	3.7	4.4	6.0
TEST/LB	3.8	4.6	5.5	6.6	8.0	9.7	13.2



BICOLOR - A2

MULTICOLOR - AQ
BICOLOR YELLOW & RED INDICATOR
25 CM YELLOW + 25 CM RED

MULTICOLOR - AP
YELLOW & RED INDICATOR
35 CM YELLOW + 15 CM BLACK + 35 CM RED

50 M



ASSO FLUOROCARBON SOFT 100% FLUOROCARBON

FFASDI108



Next-gen fluorocarbon which guarantees maximum softness combined with maximum toughness and durability. Invisible coloring to fish and wide range of diameters. It comes packaged in brand new ultra-thin spools for very easy storage, with colored identification elastic band. Particularly suitable for leaders.

IDEAL FOR FLY FISHING



ABRASION
RESISTANCE



SOFT



LOW VIS



FOR LEADERS



WHITE - 00

MISURA	7X	6X	5X	4X	3X	2X	1X	0X
DIAM mm	0.10	0.12	0.15	0.17	0.20	0.22	0.26	0.28
TEST/KG	0.8	1.6	2.1	2.6	3.1	3.8	5.3	6.0
TEST/LB	1.8	3.6	4.6	5.7	6.8	8.3	11.6	13.2
ELASTIC BAND	Blue	Light Blue	Green	Dark Green	Yellow	Orange	Red	Grey

50 M



ASSO TENKARA LEVEL LINE 100% FLUOROCARBON

FFASDI110



Asso Tenkara Level Line is a top quality high density fluorocarbon line. It allows you to have a constant vision of the line in all light and weather conditions. It is easily visible in all fishing conditions, even in the midst of the rapids that form foam. Its material allows easier, perfect and precise castings. Thanks to the use of fluorocarbon, the monofilament is memory free and has a controlled rigidity. Especially suitable for leaders.

IDEAL FOR FLY FISHING
PARALLEL SPOOLING



ABRASION
RESISTANCE



LOW VIS



FOR LEADERS



LOW STRETCH



NO MEMORY




PINK - 43

GO	2.5	3.0	3.5	4.0	5.0
DIAM mm	0.260	0.285	0.310	0.330	0.370
TEST/KG	5.4	6.0	6.9	7.8	8.4
TEST/LB	11.9	13.2	15.2	17.2	18.0

30 M

ASSO KNOTLESS TAPERED LEADER NYLON LINE

FNASDI267



PERFECTION LOOP


GREEN - 6G

7.5/9/12 FT

Asso Knotless Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb constant shocks without compromising performance. It has no memory and a good softness/rigidity ratio, for a perfect fly presentation. This leader has very powerful butt and taper that perfectly fit even the most heavy flies and the typical marine pattern. Available in two different colors to guarantee low visibility in any condition. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



	TIPPET	TAPER	BUTT	TOTAL
7.5 FT	30 CM	130 CM	80 CM	240 CM
9 FT	50 CM	130 CM	100 CM	280 CM
12 FT	125 CM	130 CM	120 CM	375 CM

ASSO SALTWATER TAPERED LEADER NYLON LINE

FNASDI591



PERFECTION LOOP


WHITE - 00

10 FT

Asso Saltwater Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb even constant shocks without compromising performance. Very high abrasion resistance thanks to the particularly soft copolymer and low stretch. This leader features a very powerful butt and taper, suitable even to the most heavy flies and the typical marine pattern. Its transparent coloring ensures low visibility. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



LENGTH	SIZE	BUTT		TAPER	TIPPET	
		DIAM MM/INCH	LENGTH CM/INCH		DIAM MM/INCH	LENGTH CM/INCH
10 FT 306 CM	10 LB/4.5 KG	0.600/0.023	171/67.3	85/33.5	0.265/0.010	50/19.7
	12 LB/5.4 KG	0.600/0.023			0.290/0.011	
	16 LB/7.3 KG	0.635/0.025			0.339/0.013	
	20 LB/9.1 KG	0.685/0.027			0.375/0.015	
	25 LB/11.4 KG	0.685/0.027			0.440/0.017	
	30 LB/13.6 KG	0.710/0.028			0.483/0.019	

ASSO BASS TAPERED LEADER NYLON LINE

FNASDI597



PERFECTION LOOP



WHITE - 00

8 FT

Asso Bass Tapered Leader features a strong and resistant surface, designed to withstand and absorb shocks, without compromising performance. This leader has a very powerful butt and taper, perfect even for the most heavy fishing flies. It's a very low stretch line and is available in transparent color, to ensure low visibility in all conditions. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



FOR LEADERS
+ SHOCK LEADERS

FOR LEADERS


NO MEMORY



HIGH TENACITY

SOFT

LOW VIS



LENGTH	SIZE	BUTT		TAPER	TIPPET	
		DIAM MM/INCH	LENGTH CM/INCH		DIAM MM/INCH	LENGTH CM/INCH
8 FT 245 CM	10 LB	0.610/0.024	125/49.2	90/35.4	0.279/0.011	30/11.8
	12 LB	0.610/0.024			0.305/0.012	
	14 LB	0.680/0.027			0.340/0.013	
	16 LB	0.680/0.027			0.381/0.014	

ASSO SALMON & STEELHEAD TAPERED LEADER NYLON LINE

FNASDI595



PERFECTION LOOP



WHITE - 00

10 FT

Asso Salmon and Steelhead Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb even constant shocks without compromising performance. It has no memory and a good softness/rigidity ratio for a perfect fly presentation. Specific for salmon and steelhead trout. Suitable for large flies. Its transparent coloring ensures low visibility in all conditions. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



FOR LEADERS
+ SHOCK LEADERS

FOR LEADERS


NO MEMORY



HIGH TENACITY

SOFT

LOW VIS



LENGTH	SIZE	BUTT		TAPER	TIPPET	
		DIAM MM/INCH	SIZE CM/INCH		DIAM MM/INCH	SIZE CM/INCH
10 FT 305 CM	8 LB	0.610/0.024	170/66.9	90/35.4	0.240/0.010	45/17.7
	10 LB	0.610/0.024			0.279/0.011	
	12 LB	0.660/0.026			0.305/0.012	
	16 LB	0.660/0.026			0.381/0.014	



ASSO TROUT TAPERED LEADER NYLON LINE


FNASDI593



Asso Trout Tapered Leader has a very strong and resistant surface, designed to resist and absorb even continuous shocks without compromising performance. It has no memory and easily straightens. It features a good softness/rigidity ratio for an excellent fly presentation. Proposed in a neutral color to ensure low visibility in all conditions and ideal for bait presentations in clear waters and with suspicious fish. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



WHITE - 00

7.5/9 FT



LENGTH	SIZE	BUTT		TAPER		TIPPET		
		DIAM MM/INCH	LENGTH CM/INCH	LENGTH CM/INCH	DIAM MM/INCH	LENGTH CM/INCH	TEST/LB	TEST/KG
7.5 FT 235 CM	0X	0.584/0.023	105/41.3	90/35.4	0.280/0.011	40/15.7	11.9	5.4
	1X	0.584/0.023			0.254/0.010		9.9	4.5
	2X	0.584/0.023			0.229/0.009		8.1	3.7
	3X	0.533/0.021			0.203/0.008		6.4	2.9
	4X	0.533/0.021			0.178/0.007		5.1	2.3
	5X	0.533/0.021			0.152/0.006	55/21.6	4.0	1.8
	6X	0.483/0.019			0.127/0.005		2.9	1.3
9 FT 275 CM	7X	0.483/0.019			0.110/0.004		2.2	1.0

ASSO FC TAPERED LEADER 100% FLUOROCARBON

FFASDI599




Asso Fluorocarbon Tapered Leader is ideal for nymphing and when using large streamers, and sinks much quicker than nylon. Its high abrasion resistance makes it an ideal choice when fishing in rock, brush and other abrasive environments. Low vis transparent coloring, high knot strength and very durable. Especially suited for leaders.

IDEAL FOR FLY FISHING TAPERED STRUCTURE



	SIZE	TIPPET Ø	BUTT Ø	TIPPET
LENGTH	X	mm	mm	TEST/LB
9 FT	0	0.290	0.570	10.3
	1	0.265	0.570	8.2
	2	0.240	0.570	7.3
	3	0.205	0.530	5.6
	4	0.180	0.530	4.7
	5	0.155	0.530	3.7
	6	0.135	0.470	2.8
	7	0.110	0.470	1.8



9 FT

ASSO BACKING LINE BRAIDED LINE

FSASDI298



Asso Backing Line is a top quality polyester line. Thanks to its smooth surface it is very easy to bind to the reel and easy to knot. It features a very low stretch factor even in constant stress conditions and after several uses. Especially suitable for reel.



DIAM MM	0.40	0.43	0.52
TEST/LB	15	20	30

100 M



MATCH FISHING



ASSO FEEDER NYLON LINE

FNASDI147



Asso Feeder is a fluorocarbon coated line specifically designed for feeder fishing. Its special tripolymer structure and fluorocarbon coating make it a particularly strong, abrasion resistant and waterproof line. Low stretch line for ready strikes, even on long distances. Its smooth structure cuts the water surface increasing its sinkability.

FLUOROCARBON COATED



DIAM mm	0.165	0.185	0.205	0.218	0.260	0.274	0.285	0.310
TEST/KG	1.8	2.3	2.7	3.6	4.5	5.4	6.4	7.3
TEST/LB	4.0	5.0	6.0	8.0	10.0	12.0	14.0	16.0



150 M

MATCH FISHING

HERA

SELECTION



ASSO HERA ULTRA SOFT MICHITO NYLON LINE


FNASDI084



Next-gen fluorocarbon coated soft and tough monofilament. High breaking strength and low memory allow the line to not curl, making it the best choice for competition anglers. Transparent crystalline color in water. Calibrated measurements. Especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



GO	0.4	0.6	0.8	1.0	1.2	1.5	2.0	2.5	3.0
DIAM mm	0.104	0.128	0.148	0.165	0.185	0.205	0.235	0.260	0.285

50 M

ASSO HERA PERMANENT LENGTH MICHITO NYLON LINE


FNASDI080



Hera Permanent Length Michito is a next-gen extremely tough Fluorocarbon coated Monofilament. High breaking strength and low memory prevent this line from curling, making it particularly suitable for competition fishing. Its toughness allows to use it as shock absorber. It features a specific high visibility coloring and is especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



GO	0.5	0.6	0.7	0.8	1.0
DIAM mm	0.117	0.128	0.138	0.148	0.165

GO	1.2	1.5	2.0	2.5	3.0
DIAM mm	0.185	0.205	0.235	0.260	0.285

50 M

ASSO HERA ULTRA SOFT HARISU NYLON LINE

FNASDI082



Next-gen fluorocarbon coated soft and tough monofilament. High breaking strength and low memory allow the line to not curl, making it the best choice for competition anglers. It is very tough and can be used as a shock absorber. Transparent crystalline color in water. Calibrated measurements. Especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



GO	0.25	0.4	0.6	0.8	1.0	1.2	1.5	2.0
DIAM mm	0.083	0.104	0.128	0.148	0.165	0.185	0.205	0.235

50 M



ASSO NEW MICRON 3 NYLON LINE

FNASDI046



Asso New Micron 3 is produced in small amounts continuously monitored in each stage of production, to ensure maximum strength and no weak point. The diameters are 100% real and constant with a maximum tolerance of only 3 microns. It has great ability to convey even the slightest bite and to present the bait optimally. Clear coloring for maximum invisibility. Especially suitable for pole fishing leaders.

MICRO DIAMETERS

FLUOROCARBON COATED



FOR LEADERS



WHITE - 00

DIAM mm	0.053	0.059	0.065	0.070	0.074	0.079	0.087	0.096
TEST/KG	0.29	0.36	0.43	0.51	0.57	0.64	0.78	0.90
DIAM mm	0.100	0.107	0.122	0.133	0.153	0.173	0.185	0.204
TEST/KG	1.00	1.13	1.39	1.65	2.19	2.80	3.07	3.60

50 M
100 M



ASSO SINKING 100% FLUOROCARBON

FFASDI135



Top quality fluorocarbon monofilament, 3 times more sinking than a traditional line without the use of degreasing substances. It has exceptional resistance to abrasion which allows it to be used even in areas cluttered with vegetation and obstacles. Its low stretch ensures great performances even at long distance. It has a particularly visible coloration out of the water that allows you to easily identify the bites. Parallel spooling for top quality maintenance over time and damage prevention. Especially suitable for leaders.

PARALLEL SPOOLING



DIAM mm	0.134	0.149	0.166	0.176	0.198	0.219
TEST/KG	1.50	1.90	2.10	2.40	2.60	3.20
TEST/LB	3.30	4.20	4.60	5.30	5.70	7.10

150 M



100% FLUOROCARBON

ASSO FLUOROCASTING 100% FLUOROCARBON

FFASDI106



150 M FROM Ø 0.13 TO Ø 0.30
 200 M FROM Ø 0.28 TO Ø 0.40
 * 200M DIAM. 0.45-0.50 ON DEMAND

Asso Fluorocarbon is a 100% fluorocarbon line. Thanks to the PvdF composition it has a higher specific weight and sinks faster. It features a very soft and waterproof surface which allows the product to be unalterable to temperatures, resist UV rays, resist abrasion and maintain constant knot strength even after prolonged use. Parallel spooling ensures better conservation and prevents damages to the line. It is multipurpose and suitable both for reel and leaders.

DIAM mm	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.28
TEST/KG	1.30	1.70	2.30	2.80	3.40	3.80	4.60	5.40
TEST/LB	2.90	3.70	5.10	6.20	7.50	8.40	10.1	11.9

DIAM mm	0.30	0.35	0.40	0.45*	0.50*
TEST/KG	6.00	7.80	10.8	12.2	14.2
TEST/LB	13.2	17.2	23.8	26.9	31.3

PARALLEL SPOOLING



WHITE - 00

ASSO INVISIBLE CLEAR 100% FLUOROCARBON

FFASDI120 - FFASDI121



30 M/33 YDS FROM Ø 0.60 TO Ø 1.00
 50 M/55 YDS FROM Ø 0.11 TO Ø 0.50


Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

DIAM mm	0.11	0.13	0.15	0.17	0.19	0.21
TEST/KG	1.1	1.3	1.7	2.3	2.8	3.4
TEST/LB	2.4	2.9	3.7	5.1	6.2	7.5

DIAM mm	0.23	0.25	0.28	0.30	0.35	0.40
TEST/KG	3.8	4.6	5.4	6.0	7.8	10.8
TEST/LB	8.4	10.1	11.9	13.2	17.2	23.8

DIAM mm	0.45	0.50	0.60	0.70	0.80	0.90	1.00
TEST/KG	12.2	14.2	21	30	33	40	49
TEST/LB	26.9	31.3	46.3	66.1	72.7	88.2	108

PARALLEL SPOOLING



WHITE - 00


ASSO INVISIBLE PINK 100% FLUOROCARBON

FFASDI123



30 M

Fluorocarbon line especially designed for boat fishing. Its pink coloring enhances the typical invisibility of fluorocarbon, especially the first meters underwater. The high abrasion resistance allows boat fishing in any condition. It provides a controlled rigidity to resist changes in sea currents. It is available in a wide range of medium / large diameters and comes packaged on an extra large reel to avoid the mechanical memory in the pre-use phase. Especially suitable for leaders.



PINK - 42

DIAM mm	0.30	0.35	0.40	0.45	0.50	0.60	0.70	0.80	0.90	1.00
TEST/KG	6.50	8.30	11.3	12.7	14.7	21.0	30.5	33.6	41.0	49.8
TEST/LB	14.3	18.3	24.9	28.0	32.4	46.3	67.2	74.0	90.3	107

100% FLUOROCARBON

ASSO CAMOUFLAGE MULTICOLOR 100% FLUOROCARBON

FFASDI102



Asso Camouflage Multicolor is a multicolor fluorocarbon line developed to guarantee perfect camouflage in all light refraction conditions. Even in dark areas it is perfectly camouflaged thanks to the "camouflage" color. It ensures low stretch and stress resistance. It's multi-purpose and suitable for both reel and leaders.

PARALLEL SPOOLING



MULTICOLOR - AC

DIAM mm	0.12	0.14	0.16	0.18	0.20	0.22	0.24
TEST/KG	1.20	1.40	1.80	2.50	3.10	3.70	4.20
TEST/LB	2.60	3.10	4.00	5.50	6.80	8.10	9.30

DIAM mm	0.26	0.28	0.30	0.35	0.40	0.45	0.50
TEST/KG	5.10	5.90	6.60	8.90	11.9	13.4	15.6
TEST/LB	11.2	13.0	14.5	18.9	26.2	29.5	34.4

50 M/55 YDS


150 M/175 YDS FROM Ø 0.14 TO Ø 0.35

ASSO SUPERFLUOROCARBON HIGH STRETCH 100% FLUOROCARBON

FFASDI105



Fluorocarbon monofilament with high stretch ranging from one and a half to double compared to traditional fluorocarbon monofilaments. Specific for combination with braids and low stretch monofilaments. It allows an optimal bait presentation and a better recovery of the prey. Particularly suitable for leaders.



DIAM mm	0.134	0.156	0.176	0.198	0.219	0.232	0.259	0.280	0.300
TEST/KG	1.49	2.00	2.51	3.13	3.84	4.13	5.18	5.89	6.64
TEST/LB	3.30	4.40	5.50	6.90	8.50	9.10	11.4	13.0	14.6

DIAM mm	0.343	0.409	0.445	0.495	0.595	0.675	0.777	0.818	0.956	1.080
TEST/KG	7.00	9.70	11.0	13.3	18.2	22.2	26.2	28.4	36.3	45.74
TEST/LB	15.4	21.4	24.2	29.3	40.1	49.0	57.7	62.6	80.0	100.75


50 M

ASSO SUPERFLUOROCARBON 100% FLUOROCARBON

FFASDI130



Very soft and extremely tough next-gen fluorocarbon line, featuring an innovative PVDF and a cutting-edge extrusion process. It has a smooth and pasty surface to ensure perfect knots and controlled stretch. Line specifically designed for professional anglers, but can also be used successfully by rookies thanks to the great softness that makes it easy to use. Especially suitable for leaders.



WHITE - 00

DIAM mm	0.10	0.13	0.15	0.17	0.19	0.21
TEST/KG	0.80	1.64	2.10	2.60	3.10	3.80
TEST/LB	1.80	3.60	4.60	5.70	6.80	8.30

DIAM mm	0.23	0.25	0.28	0.30	0.35	0.40
TEST/KG	4.30	5.30	6.00	6.90	8.70	12.0
TEST/LB	9.40	11.6	13.2	15.2	19.2	26.4

50 M

ASSO CUORI 100% FLUOROCARBON

FFASDI127



Asso di cuori is a historical line, the very first fluorocarbon line produced in Italy. Its very hard surface makes it very resistant to the teeth of the most stubborn fish and obstacles, while the total impermeability allows the line to maintain its resistance and durability even after several uses in stressful conditions. The smooth surface allows the line to cut the water in two and to remain in position even in conditions of very strong current. Asso di Cuori is perfect for all seasons and temperatures (from + 40 ° c to -20 ° c). The pure fluorocarbon structure makes it invisible in all refraction conditions. Available in a wide range of diameters to cover most fishing techniques. Especially suitable for leaders.



WHITE - 00

15 M Ø 120

30 M FROM Ø 0.80 TO Ø 1.00

50 M UP TO Ø 0.70

100 M FROM Ø 0.10 TO Ø 0.22

DIAM mm	0.08	0.10	0.13	0.15	0.17	0.20	0.22	0.24	0.26	0.28	0.30
TEST/KG	0.70	1.00	1.50	1.80	2.30	3.40	4.20	5.00	5.50	5.80	7.20
TEST/LB	1.50	2.20	3.30	3.90	5.00	7.40	9.20	11.0	12.1	12.7	15.8

DIAM mm	0.35	0.40	0.45	0.50	0.60	0.65	0.70	0.80	0.90	1.00	1.20
TEST/KG	9.50	11.8	14.0	17.6	18.8	23.5	28.2	33.0	40.0	49.0	77.0
TEST/LB	20.9	26.0	30.8	38.8	41.4	51.7	62.1	72.7	88.2	108	169.6

ASSO PREMIUM 100% FLUOROCARBON

FFASDI125



Next-gen extremely soft and tough Fluorocarbon line. The innovative PvdF definitely makes it the best abrasion resistant fluorocarbon line in the Asso range. Low-stretch and high knot strength complete the product and make it perfect for the most challenging fishing situations both at sea and in fresh water. Calibrated sizes. Particularly suitable for leaders.

PARALLEL SPOOLING



WHITE - 00

50 M

150 M FROM Ø 0.16 TO Ø 0.33

DIAM mm	0.11	0.13	0.16	0.18	0.20
TEST/KG	1.10	1.60	1.90	2.50	3.60
TEST/LB	2.40	3.50	4.20	5.50	7.90

DIAM mm	0.22	0.24	0.26	0.28	0.30	0.33
TEST/KG	4.50	5.30	5.80	6.10	7.60	9.40
TEST/LB	9.90	11.70	12.8	13.4	16.7	20.7

ASSO INVISIBLE HARD 100% FLUOROCARBON

FFASDI118



Low stretch Fluorocarbon with accentuated rigidity and superior abrasion resistance. Particularly suitable for sea fishing where it guarantees superior precision in fishing thanks to its insensitivity to currents. Particularly suitable for leaders.



WHITE - 00

50 M

DIAM mm	0.09	0.11	0.13	0.15	0.17	0.19	0.21	0.23
TEST/KG	0.80	0.90	1.40	1.80	2.30	2.90	3.40	4.20
TEST/LB	1.80	2.00	3.10	4.00	5.10	6.30	7.40	9.10

DIAM mm	0.25	0.28	0.30	0.34	0.40	0.43	0.47
TEST/KG	4.80	5.50	5.90	7.40	10.2	11.7	13.1
TEST/LB	10.6	12.0	13.0	16.2	22.4	25.7	28.9



FC COATED NYLON

ASSO FLUOROLIGHT NYLON LINE


FNASDI032



The fluo white color with reflections tending to blue allows an optimal control of the fishing action. Particularly soft line with a smooth surface, resistant to abrasion and with a high breaking strength. Completely waterproof, high visibility out of the water. Particularly suitable for reel.

PARALLEL SPOOLING

FLUOROCARBON COATED



WHITE - 00

150 M FROM Ø 0.12 TO Ø 0.35
300 M FROM Ø 0.16 TO Ø 0.40

DIAM mm	0.12	0.14	0.16	0.18	0.20	0.22
TEST/KG	1.4	1.9	2.3	2.9	3.6	4.3
TEST/LB	3.1	4.2	5.1	6.4	7.9	9.5
DIAM mm	0.24	0.26	0.28	0.30	0.35	0.40
TEST/KG	5.0	5.8	6.7	7.6	10	12.4
TEST/LB	11	12.8	14.8	16.8	22	27.3

ASSO KNIGHT NYLON LINE


FNASDI291



High tenacity Japanese line suitable for both day and night fishing thanks to its hi-vis color and fluorescence to UV light. The fluorocarbon coating ensures great abrasion resistance. The low memory makes it perfect for casting.

UV FLUO

FLUOROCARBON COATED



HIGH TENACITY



GREEN - 61 FLUO

150 M
300 M
1200 M FROM Ø 0.128 TO Ø 0.370
1000 M Ø 0.405

DIAM mm	0128	0148	0165	0185	0205	0218
GO	0.6	0.8	1.0	1.25	1.5	1.75
TEST/KG	0.9	1.4	1.8	2.3	2.7	3.2
LB CLASS	2.0	3.0	4.0	5.0	6.0	7.0

DIAM mm	0235	0260	0285	0310	0330	0370	0405
GO	2.0	2.5	3.0	3.5	4.0	5.0	6.0
TEST/KG	3.6	4.5	5.4	6.4	6.8	8.2	9.1
LB CLASS	8.0	10.0	12.0	14.0	16.0	18.0	20.0

ASSO PINK HUNTER NYLON LINE

FNASDI142



Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!

FLUOROCARBON COATED



LOW VIS



PINK - 40

150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.218
GO	0.6	0.8	1.0	1.2	1.5	1.7
LB CLASS	3	4	5	6	7	8
TEST/KG	1.4	1.8	2.3	2.7	3.2	3.6
DIAM mm	0.235	0.260	0.285	0.330	0.370	0.405
GO	2.0	2.5	3.0	3.5	5.0	6.0
LB CLASS	10	12	15	20	25	30
TEST/KG	4.5	5.5	6.8	9.1	11.4	13.6





ASSO SENTINEL NYLON LINE

FNASDI145



Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!

FLUOROCARBON COATED

ABRASION
RESISTANCE

HIGH TENACITY



SOFT



LOW STRETCH



SINKING



SMOOTH



WHITE - 00

DIAM mm	0.083	0.104	0.128	0.148	0.165	0.185	0.205	0.235
GO	0.25	0.4	0.6	0.8	1.0	1.2	1.5	2.0
TEST/KG	0.5	0.9	1.4	1.8	2.3	2.7	3.6	4.5
TEST/LB	1	2	3	4	5	6	8	10
DIAM mm	0.260	0.285	0.310	0.330	0.370	0.405	0.470	0.520
GO	2.5	3.0	3.5	4.0	5.0	6.0	8.0	10.0
TEST/KG	5.4	6.4	7.3	9.1	11.4	13.6	18.2	22.7
LB CLASS	12	14	16	20	25	30	40	50

50 M
150 M FROM Ø 0.128 TO Ø 0.370
300 M FROM Ø 0.165 TO Ø 0.405
270 M Ø 0.470
220 M Ø 0.520



NYLON


ASSO CASTING NYLON LINE

FNASDI252



Line with controlled elongation for safe casts even over long distances. Its particular coloring allows exceptional camouflage in the water and excellent visibility outside. Total absence of mechanical memory. Particularly suitable for reel.

AVAILABLE ONLY IN SOME COUNTRIES



DIAM mm	0.14	0.16	0.18	0.20	0.22	0.24	0.28	0.30
TEST/KG	2.20	2.60	3.20	3.80	4.50	5.50	6.20	7.50
TEST/LB	4.80	5.70	7.00	8.30	9.90	11.1	13.5	16.5
DIAM mm	0.40	0.45	0.50					
TEST/KG	11.8	15.2	18.4					
TEST/LB	25.9	33.4	40.5					


1000 M

ASSO UNIVERSAL NYLON LINE

FNASDI050



Line with great softness and toughness, with excellent transparency. Multi-purpose, suitable for both reel and leaders.



DIAM mm	0.18	0.20	0.22	0.25	0.28	0.30	0.35	0.40
TEST/KG	2.10	2.80	3.20	3.80	4.70	5.30	7.30	9.80
TEST/LB	4.60	6.10	7.00	8.30	10.3	11.6	16.0	24.5
DIAM mm	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1.00
TEST/KG	11.2	13.7	15.8	18.6	25.9	32.2	36.4	42.3
TEST/LB	24.6	30.1	34.8	40.9	57.0	70.9	80.1	93.1

100 M •WHITE

100 M FROM Ø 0.18 TO Ø 0.50 •BLUE

1000 M FROM Ø 0.20 TO Ø 1.00 •WHITE

1000 M FROM Ø 0.20 TO Ø 0.60 •BLUE

ASSO CLASSIC NYLON LINE

FNASDI200



Asso Classic is a top quality soft monofilament, suitable for both rookies and the most demanding experienced anglers. It ensures a good balance between softness, linear resistance, knot strength, stretch and durability. A wide format range is available in different colors, perfect for different applications. It's multipurpose and suitable for both reel and leaders.



DIAM mm	0.18	0.20	0.22	0.25	0.28	0.30	0.35	0.40
TEST/KG	2.10	2.50	3.00	4.00	4.50	5.00	7.00	9.00
TEST/LB	4.60	5.60	6.70	8.90	10.0	11.1	15.5	19.9
DIAM mm	0.45	0.50	0.60	0.70	0.80	0.90	1.00	1.10
TEST/KG	11.0	13.5	19.0	25.0	32.0	37.0	44.0	48.0
TEST/LB	24.3	29.8	41.9	55.2	70.6	81.6	96.9	106.0
DIAM mm	1.20	1.30	1.40	1.50	1.60	1.80	2.00	
TEST/KG	55.0	60.0	65.0	80.0	90.0	115.0	130.0	
TEST/LB	121.3	132.0	143.3	176.0	198.0	242.0	287.0	

100 M

1000 M FROM Ø 0.20 TO Ø 1.00

1 KG FROM Ø 0.18 TO Ø 1.00

ASSO DIAMOND NYLON LINE

FNASDI063



Asso Diamond is a product that has made the history of the Asso brand since the 1980s. It is a specific line for surfcasting and lure fishing thanks to its exceptional smoothness, still unbeatable today. Extremely soft and pasty, it guarantees exceptional resistance to abrasion and traction. The top quality of the line allows a very long life overtime, even after several uses. It features a typical yellow color with high visibility out of the water which allows optimal control of the fishing area. It is multipurpose and suitable both for reel and leaders.

PARALLEL SPOOLING



100 M
150 M FROM Ø 0.16 TO Ø 0.40
300 M FROM Ø 0.16 TO Ø 0.40

DIAM mm	0.16	0.18	0.20	0.22	0.24	0.26
TEST/KG	1.90	2.40	2.90	3.80	4.30	4.80
TEST/LB	4.10	5.20	6.30	8.30	9.40	10.5
DIAM mm	0.28	0.30	0.35	0.40	0.45	0.50
TEST/KG	5.50	7.20	9.00	10.8	14.1	16.8
TEST/LB	12.1	15.8	19.8	23.8	31.0	37.0

ASSO BULLET PROOF NYLON LINE

FNASDI078



Asso Bullet Proof is an ultra abrasion resistant monofilament which features a smooth and flexible surface to ensure the best smoothness level in its category. Its pasty composition guarantees extra abrasion resistance and quality maintenance over time, even after several uses and with low stretch. Perfect for carp fishing and especially suitable for reel.




1/4 LB

DIAM mm	0.32	0.35	0.37	0.40	0.45	0.50
TEST/LB	12	15	18	20	25	30







ASSO ICE FISHING NYLON LINE

FNASDI037



Asso Ice Fishing is ideal for fishing in cold weather conditions. Thanks to its special compound, it resists freezing, does not become brittle and maintains its softness and resistance even in extreme weather conditions. Its special bright blue color ensures high visibility on ice.



RESISTANCE TO LOW TEMPERATURES



SOFT



HIGH VIS



WHITE - 00

DIAM MM	0.080	0.102	0.121	0.135	0.153	0.177	0.194	0.223
TEST/KG	0.5	0.9	1.4	1.6	2.1	2.8	3.2	4.1
TEST/LB	1.0	2.0	3.0	4.0	5.0	6.0	7.0	9.0

50 M



BRAIDED PE

ASSO 4X PE POWER BRAID BRAIDED PE

FTASDI306-30A



Asso PE 4x Power Braid is a 4-ply braid produced with top quality raw material that guarantees its performance over time. The next-gen "multi-pitch" braiding system makes the fibers semi-rigid and avoids unpleasant tangles on the reel or on the tip of the rod during casting and recovery phases. The advanced coating technology allows longer casts, great durability even in stressful conditions and incredible knot strength. No memory and a minimum stretch percentage. Especially suitable for reel.

• ON DEMAND

DIAM mm	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20
TEST/KG	2.4	3.6	4.8	5.6	8.4	11.2	12.6	14.0
TEST/LB	5.3	7.9	10.6	12.3	18.5	24.7	27.8	30.8
CONSTRUCTION	4X20D	4X30D	4X40D	4X50D	4X75D	4X100D	2x100D+ 2X125D	4X125D

DIAM mm	0.24	0.28	0.30	0.32*	0.35	0.40	0.50
TEST/KG	18.2	19.6	22.4	28.0	30.0	40.0	45.0
TEST/LB	40.1	43.2	49.3	61.7	66.1	88.1	99.2
CONSTRUCTION	2X125D+ 2X150D	2X150D+ 2X200D	4X200D	4X250D	4X300D	4X400D	4X450D

150 M
1000 M

4-PLY BRAID



BLACK - 90

ASSO 4X-8X PE CAMOUFLAGE BRAIDED PE

FTASDI307



Asso PE 8X-4X Camouflage is a 4 and 8-ply braid made from top quality raw material which ensures its performance over time. This next-gen braiding "multi-pitch" system makes the line smoother, durable and solid in any fishing condition. The innovative camouflage coloring alternates every 20 cm. It allows long and precise tangle-free castings. It features a great abrasion resistance and is perfect in presence of dense vegetation. Especially suitable for reel.

DIAM mm	0.10	0.12	0.14	0.16	0.18
TEST/KG	6.10	7.20	8.20	9.80	10.7
TEST/LB	13.4	15.8	18.0	21.6	23.5
CONSTRUCTION	2X50D+ 2X75D	4X75D	2X75D+ 2X100D	4X100D	3X100D+ 1X150D

DIAM mm	0.20	0.24	0.27	0.30	0.34	0.36
TEST/KG	13.4	16.8	19.0	20.0	26.0	30.0
TEST/LB	29.5	37.0	41.8	44.0	57.2	66.0
CONSTRUCTION	2X100D+ 2X150D	3X150D+ 1X200D	2X150D+ 2X200D	4X200D	4X250D	8X150D

130 M
300 M

4-PLY BRAID

8-PLY BRAID



MULTICOLOR - A6

ASSO 8X PE PERFECT STORM BRAIDED PE

FTASDI327



Asso Pe 8x Perfect Storm is a 8-ply braid made of very strong next-gen fibers which ensure quality and performance over time. The next-gen braiding system makes this product extremely abrasion resistant and round for extra smoothness. The excellent color durability even after several uses and the wide range of sizes make this line a crucial product for every angler's equipment. Low stretch and quick sinking thanks to the specific weight of the PE fibers. Especially suitable for reel.

DIAM mm	0.04	0.06	0.08	0.10	0.12	0.15	0.18	0.20
TEST/KG	75	81	8.6	9.5	10.7	12.4	15.9	17.4
TEST/LB	16.5	17.8	18.9	20.9	23.5	27.3	35.0	38.28
CONSTRUCTION	8X20D	4X20D +4X30D	8X30D	8X40D	8X50D	4X50D +4X75D	8X75D	4X75 +4X100D

DIAM mm	0.24	0.28	0.32	0.37	0.41	0.43	0.50
TEST/KG	18.5	20	21.7	25.3	31.1	31.4	32.5
TEST/LB	40.7	44	47.7	55.7	68.4	69.1	71.5
CONSTRUCTION	8X100D	4X100D +4X125D	8X125D	4X125D +4X150D	8X150D	8X175D	8X200D

150 M FROM Ø 0.04 TO Ø 0.28
300 M FROM Ø 0.15 TO Ø 0.50
1000 M

8-PLY BRAID

MICRO DIAMETERS



GREEN - 6A

YELLOW - 10
(ONLY 150M)



ASSO 8X PE POWER BRAID BRAIDED PE

FTASDI304-30B



Asso Pe 8x Power Braid is a braid made from 8 extremely round polyethylene fibers and braided through the innovative "round construction" system which provides roundness and high smoothness for the best casts. This special technology keeps the braid very solid, even after several uses and in presence of rocks and dense vegetation. Asso Pe 8x Power Braid is available in a wide range of diameters. Especially suitable for reel.

8-PLY BRAID



FOR REEL



LOW STRETCH



SMOOTH

ABRASION
RESISTANCE

NO MEMORY



BLACK - 90

DIAM mm	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20
TEST/KG	4.50	5.60	6.20	8.30	10.4	13.0	15.6	18.2
TEST/LB	9.9	12.3	13.6	18.2	22.9	28.6	34.3	40.0
CONSTRUCTION	8X20D	4X20D+ 4X30D	8X30D	8X40D	8X50D	4X50D+ 4X75D	8X75D	4X75D+ 4X100D

DIAM mm	0.23	0.28	0.33	0.37	0.40	0.47	0.52
TEST/KG	20.8	23.4	26.0	28.6	31.2	41.6	62.4
TEST/LB	45.8	51.5	57.2	62.9	68.6	91.5	137.3
CONSTRUCTION	8X100D	4X100D+ 4X125D	8X125D	4X125D+ 4X150D	8X150D	8X200D	8X300D

150 M FROM Ø 0.06 TO Ø 0.28
300 M FROM Ø 0.16 TO Ø 0.52
1800 M



EXTREME COLOR DURABILITY

ASSO 8X PE EVERGREEN BRAIDED PE

FTASDI300



Asso PE 8X Evergreen is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. Especially suitable for reel.

8-PLY BRAID

MICRO DIAMETERS



FOR REEL



SOFT



LOW STRETCH



SMOOTH



GREEN - 6A



DIAM mm	0.04	0.06	0.08	0.10	0.12	0.15	0.18	0.20
TEST/KG	4.50	5.60	6.20	8.30	9.60	11.8	13.8	16.0
TEST/LB	9.9	12.3	13.6	18.3	21.1	26.0	30.4	35.2
CONSTRUCTION	8X20D	4X20D+ 4X30D	8X30D	8X40D	8X50D	4X50D+ 4X75D	8X75D	4X75D+ 4X100D
DIAM mm	0.24	0.27	0.32	0.36	0.41	0.43	0.50	0.58
TEST/KG	23.9	25.0	27.2	30.7	34.8	42.1	62.3	93.5
TEST/LB	52.6	55.1	59.9	67.6	76.6	92.7	137.2	205.9
CONSTRUCTION	8X100D	6X100D+ 2X150D	4X100D+ 4X150D	2X100D+ 6X150D	8X150D	8X200D	8X300D	8X400D

130 M
300 M FROM Ø 0.15 TO Ø 0.50
1000 M FROM Ø 0.18 TO Ø 0.58
1800 M

BRAIDED PE

ASSO 8X PE LURE BRAID BRAIDED PE

FTASDI301



Asso Lure Braid is a perfectly refined 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. 8-ply construction for better roundness. Zero stretch even in the micro-sizes. High abrasion resistance even in presence of dense vegetation. Suitable for lure fishing. Especially indicated for reel.

DIAM mm	0.06	0.08	0.10	0.12	0.14
TEST/KG	4.5	5.6	6.2	8.3	10.4
TEST/LB	9.9	12.3	13.6	18.2	22.9
CONSTRUCTION	8X20D	4X20D+4X30D	8X30D	8X40D	8X50D

DIAM mm	0.16	0.18	0.20	0.23	0.28	0.32
TEST/KG	13.0	13.8	16.0	23.9	25.0	27.2
TEST/LB	28.6	30.4	35.2	52.6	55.1	59.9
CONSTRUCTION	4X50D+4X75	8X75D	4X75D+4X100D	8X100D	6X100D+2X150D	100X4D+150X4D

150 M
300 M
1800 M

UV FLUO

8-PLY BRAID

MICRO DIAMETERS




ASSO 8X PE LIGHT GAMES BRAIDED PE

FTASDI326



Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.



150 M MLC AK ONLY UP TO 4.0 GO
300 M
600 M ONLY MLC AK FROM 0.8 GO

DIAM mm	0.128	0.148	0.165	0.185	0.205	0.235
TEST/KG	6.35	7.26	9.07	11.34	13.61	18.14
TEST/LB	14	16	20	25	30	40
CONSTRUCTION	4X10D + 4X20D	8X20D	4X20D + 4X30D	8X30D	8X40D	8X50D
PE SIZE	0.6	0.8	1.0	1.2	1.5	2.0

DIAM mm	0.260	0.285	0.330	0.370	0.405	0.470
TEST/KG	20.40	22.68	27.21	31.75	36.29	45.36
TEST/LB	45	50	60	70	80	100
CONSTRUCTION	4X50D + 4X75D	8X75D	8X100D	8X125D	8X150D	8X200D
PE SIZE	2.5	3.0	4.0	5.0	6.0	8.0

8-PLY BRAID



BRAIDED PE





COMMERCIAL FISHING

ASSO COOFIL COMMERCIAL FISHING

FNASPR206



Asso Coofil is a standard nylon monofilament suitable for professional fishing. It was developed for all applications, both for small and big boats. It presents a perfect balance between softness, stretch, transparency, abrasion resistance and knot strength. Available in two colors and in a wide range of diameters.

DIAM MM	0.30	0.35	0.40	0.45	0.50	0.55	0.60
TEST/KG	51	6.6	72	9.2	113	13.4	16.3
TEST/LB	11.2	14.5	15.8	20.2	24.9	29.5	35.9

DIAM MM	0.65	0.70	0.80	0.90	1.00	1.10	1.20
TEST/KG	20.4	22.7	28.5	36.4	42.8	48.9	56.1
TEST/LB	45.0	50.0	62.7	80.1	94.2	107.0	123.0


DIAM MM	1.30	1.40	1.50	1.60	1.80	2.00
TEST/KG	63.2	68.1	76.5	81.8	96.9	112.2
TEST/LB	140.0	150.0	170.0	180.0	210.0	250.0

HANKS
500M - 1000M - 2000M
500GR - 1 KG - 2 KG
SPOOLS
250 GR - 500 GR - 1 KG - 2 KG

NYLON LINE


MAINLINE

BRANCH LINES



ASSO PELOVERME COMMERCIAL FISHING

FNASPR210



Asso Peloverme is a standard nylon monofilament perfect for commercial fishing. Designed for the mainline, it can also be used for branch lines and features a great balance between softness and elasticity. The surface is developed to facilitate recovery with winches. Suitable in a wide range of diameters.

DIAM MM	0.60	0.70	0.80	0.90	1.00	1.10	1.20
TEST/KG	16.3	22.7	28.5	36.4	42.8	48.9	56.1
TEST/LB	36.0	50.0	63.0	80.0	94.0	108.0	124.0


DIAM MM	1.30	1.40	1.50	1.60	1.80	2.00
TEST/KG	63.2	68.1	76.5	81.8	96.6	113
TEST/LB	139.0	150.0	168.0	180.0	213.0	249.0

HANKS
500M - 1000M - 2000M
500GR - 1 KG - 2 KG
SPOOLS
250 GR - 500 GR - 1 KG - 2 KG

NYLON LINE


MAINLINE

BRANCH LINES



ASSO TRAVE COMMERCIAL FISHING

FNASPR211



Mainline monofilament with an excellent quality/price ratio.


DIAM MM	0.60	0.70	0.80	0.90	1.00	1.10	1.20
TEST/KG	16.3	22.7	28.5	36.4	42.8	48.9	56.1
TEST/LB	36.0	50.0	63.0	80.0	94.0	108.0	124.0

DIAM MM	1.30	1.40	1.50	1.60	1.80	2.00
TEST/KG	63.2	68.1	76.5	81.8	96.6	113
TEST/LB	139.0	150.0	168.0	180.0	213.0	249.0

HANKS
500M - 1000M - 2000M
500GR - 1 KG - 2 KG
SPOOLS
250 GR - 500 GR - 1 KG - 2 KG

NYLON LINE

MAINLINE





ASSO POLYASTEEL COMMERCIAL FISHING

FNASPR204



It has been engineered specifically for mainlines stored in baskets and bins. Thanks to its peculiar extrusion technology, it lies perfectly flat.

- high abrasion resistance
- controlled stretching
- high transparency
- long duration
- lies perfectly flat in the basket
- ideal for fishing at great depths

NYLON LINE

MAINLINE



ABRASION
RESISTANCE

LOW STRETCH

LOW VIS



WHITE - 00

DIAM MM	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60
TEST/KG	25.0	32.0	38.0	45.0	50.0	60.0	65.0	70.0	80.0	90.0
TEST/LB	55.0	71.0	84.0	99.0	110.0	132.0	143.0	154.0	176.0	198.0
DIAM MM	1.70	1.80	1.90	2.00	2.20	2.25	2.50	2.70	3.50	
TEST/KG	100.0	110.0	130.0	150.0	180.0	185.0	200.0	228.0	350.0	
TEST/LB	220.0	242.0	287.0	331.0	397.0	408.0	441.0	502.0	771.0	

HANKS
500M - 1000M - 1500M

ASSO SUPERSOFT COMMERCIAL FISHING

FNASPR214



Asso Supersoft is a top quality standard nylon monofilament ideal for commercial fishing. It was developed primarily for the mainline, but can also be used for branch lines. It is particularly suitable for handlines and manual longlines. Incredibly soft monofilament, It lays flat in the baskets and bins. It is specially indicated for the amateur fisherman. Proposed in 3 colors for each marine environment in a high range of sizes.

NYLON LINE


MAINLINE




SOFT



WHITE - 00



BLUE - 53



BLUE - 54

DIAM MM	0.40	0.45	0.50	0.60	0.70	0.80	0.90	1.00		
TEST/KG	9.10	11.0	13.7	17.0	23.3	30.0	36.8	43.0		
TEST/LB	20.0	24.0	30.0	37.0	51.0	66.0	81.0	95.0		
DIAM MM	1.10	1.20	1.30	1.40	1.50	1.60	1.80	2.00		
TEST/KG	49.5	56.3	63.5	69.0	78.0	83.0	104	120		
TEST/LB	109	124	140	152	172	183	229	264		

HANKS
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG
DIN
250 GR - 500 GR - 1 KG - 2 KG

ASSO SPADES COMMERCIAL FISHING

FNASPR208



Asso spades "cristalli d'acciaio" (steel crystals) is a top quality nylon monofilament perfect for professional fishing. Its extra-softness makes it suitable both for the mainline and the branch lines. It can also be used by beginners thanks to its extreme softness which makes it perfectly fit the fishing basket. It doesn't tangle and perfectly straightens. The high knot strength makes it suitable for the most challenging fishing techniques.

NYLON LINE

MAINLINE

BRANCH LINES



SOFT



LOW VIS



GREY - 70



MULTICOLOR - A4


DIAM MM	0.35	0.40	0.45	0.50	0.60	0.70	0.80	0.90		
TEST/KG	7.10	9.40	12.00	14.30	20.00	25.00	32.00	35.00		
TEST/LB	15.60	20.70	26.50	31.50	44.00	55.10	70.50	77.10		
DIAM MM	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.80	2.00	
TEST/KG	45.00	54.00	59.00	65.00	68.00	77.00	86.00	112.00	124.00	
TEST/LB	99.20	119.00	130.00	143.30	149.90	169.70	189.50	246.80	273.30	

HANKS
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG
DIN
250 GR - 500 GR - 1 KG - 2 KG



ASSO MAINLINE COMMERCIAL FISHING


FNASPR199



The revolutionary feature of Asso Mainline is the controlled stretch factor which prevents the flattening of the line and gives better performance and superior durability. It has been specifically designed for mainlines stored on reel. High abrasion resistance and excellent strength/flexibility ratio.

DIAM MM	2.30	2.50	2.80	3.00	3.20
TEST/KG	227	250	315	362	387
TEST/LB	500	550	690	795	850
DIAM MM	3.40	3.50	3.60	3.80	4.00
TEST/KG	430	445	470	523	540
TEST/LB	945	980	1035	1150	1190

NYLON LINE MAINLINE



5-10-15-30 NAUTICAL MILES (NM)

ASSO HARD LINE COMMERCIAL FISHING

FNASPR217



Specially created for branch lines and for those situations where it is necessary to have an extremely abrasion resistant monofilament, particularly rigid and very tenacious.

DIAM MM	0.60	0.70	0.80	0.90	1.00	1.10	1.20	1.30
TEST/KG	23.0	28.0	35.0	39.0	50.0	58.0	65.0	78.0
TEST/LB	51.0	62.0	77.0	86.0	110	128	143	172


NYLON LINE BRANCH LINES



1 KG - 2 KG

ASSO LEADER COMMERCIAL FISHING

FNASPR213



Asso Leader is a top quality nylon monofilament perfect for commercial fishing. It's one of the strongest branch lines available on the market characterized not only by its high resistance but also by its excellent softness. Asso Leader encloses in a single product all the most important features that a branch line must have: very high breaking strength, excellent transparency, extra softness and high stretch which facilitates the capture of large prey.

DIAM MM	0.60	0.65	0.70	0.80	0.90	1.00	1.10	1.20
TEST/KG	25.0	30.0	35.0	44.0	50.0	59.0	69.0	82.0
TEST/LB	55.0	66.0	77.0	97.0	110.0	130.0	152.0	180.0
DIAM MM	1.30	1.40	1.50	1.60	1.70	1.80	1.90	2.00
TEST/KG	91.0	104.0	113.0	127.0	159.0	181.0	204.0	227.0
TEST/LB	200.0	230.0	250.0	280.0	350.0	400.0	450.0	500.0
DIAM MM	2.10	2.20	2.35	2.50	2.60	2.70	3.00	
TEST/KG	236.0	250.0	272.0	295.0	309.0	332.0	378	
TEST/LB	520.0	550.0	600.0	650.0	680.0	730.0	833.0	

NYLON LINE BRANCH LINES




HANKS
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG
DIN
1 KG - 2 KG



ASSO SUPER BRACCIOLO COMMERCIAL FISHING

FNASPR241



Asso Super Bracciolo is a real novelty in the world of professional fishing. It is a latest generation monofilament created specifically for branch lines. Ideal for the most extreme situations.


- Very high toughness and strength
- Hard
- Low visibility colors. Particularly effective in pink coloring.
- Very high breaking strength and abrasion resistance
- Low elongation
- Long duration

DIAM MM	0.70	0.80	0.90	1.00	1.10	1.20	1.30
---------	------	------	------	------	------	------	------

1 KG - 2 KG

NYLON LINE

BRANCH LINES



ASSO TRIPLE FORCE COMMERCIAL FISHING

FNASPR229




Asso Triple force is a top quality nylon monofilament suitable for commercial fishing and especially for branch lines. Its outstanding strength and excellent transparency and rigidity make it the best choice for the lower part of the branch line for tuna fishing. It ensures greater abundance of fish thanks to the better presentation of the bait. Asso Triple Force is one of the monofilaments with the highest breaking strength for tuna fishing.

DIAM MM	0.43	0.54	0.57	0.62	0.702	0.74	0.81
TEST/KG	13.6	22.7	25.6	29.9	36.4	41.9	49.7
TEST/LB	30.0	50.0	56.5	66.0	80.0	92.3	109.5
DIAM MM	0.90	1.04	1.17	1.25	1.33	1.47	1.56
TEST/KG	60.4	80.5	99.5	109.0	124.0	151.0	167.0
TEST/LB	133.1	177.5	219.4	240.3	293.8	332.8	368.0
DIAM MM	1.61	1.76	1.83	1.97	2.04	2.10	2.39
TEST/KG	181.0	214.0	234.0	252.0	265.0	291.0	373.0
TEST/LB	398.0	471.8	516.0	555.6	583.0	641.0	822.0

1000 M FROM Ø 1.17 TO Ø 2.39
2000 M FROM Ø 0.74 TO Ø 1.04
2000 M Ø 0.702
3000 M FROM Ø 0.43 TO Ø 0.62

NYLON LINE

BRANCH LINES





NYLON

49 — BASS TAPERED LEADER
68 — BULLET PROOF
67 — CASTING
67 — CLASSIC
26 — CLASSIC SHOCK LEADER
79 — COOFIL
68 — DIAMOND
11 — DOUBLE STRENGTH ULTRASOFT
38 — DOUBLE TAPERED MAINLINE
36 — FLOATER LINE
83 — HARD LINE
71 — ICE FISHING
48 — KNOTLESS TAPERED LEADER
83 — LEADER
35 — MAINLINE (CARP)
83 — MAINLINE (COMMERCIAL FISHING)
36 — MAINLINE ABRASION
35 — MAINLINE PRO
26 — OBLIVION
79 — PELOVERME
81 — POLYASTEEL
49 — SALMON & STEELHEAD TAPERED LEADER
48 — SALTWATER TAPERED LEADER
36 — SINKING MAINLINE
45 — STRIKE INDICATOR
81 — SPADES
81 — SUPERSOFT
85 — SUPER BRACCILO
21 — SURF
22 — TAPERED LINE 220M
40 — TAPERED SHOCK LEADERS 5X15M
23 — TAPERED SHOCK LEADERS 5X15-10X15M
19 — TORNEO
11 — TOURNAMENT
79 — TRAVE
11 — TRIPLE FORCE (SPORT FISHING)
85 — TRIPLE FORCE (COMMERCIAL FISHING)
29 — TROUT AREA NYLON HARD
29 — TROUT AREA NYLON SOFT
50 — TROUT TAPERED LEADER
26 — ULTRAFLEX
67 — UNIVERSAL
40 — ZIG FLOATING LINE

FLUOROCARBON COATED NYLON

45 — COPOLYMER SOFT
53 — FEEDER
63 — FLUOROLIGHT
55 — HERA PERMANENT LENGTH MICHIIITO
55 — HERA ULTRASOFT HARISU
55 — HERA ULTRASOFT MICHIIITO
19, 63 — KNIGHT
35 — MAINLINE MASTER
56 — NEW MICRON 3
12, 19, 63 — PINK HUNTER
12, 20, 65 — SENTINEL

100% FLUOROCARBON

13 — BIG CATCH
60 — CAMOUFLAGE MULTICOLOR
61 — CUORI
59 — FLUOROCASTING
41 — FLUOROCARBON HOOKLINK
38 — FLUOROCARBON MAINLINE
46 — FLUOROCARBON SOFT
51 — FLUOROCARBON TAPERED LINE

13 — INVISIBLE BIG GAME
12, 24, 59 — INVISIBLE CLEAR
61 — INVISIBLE HARD
15, 59 — INVISIBLE PINK
61 — PREMIUM
57 — SINKING
25, 60 — SUPERFLUOROCARBON
14, 60 — SUPERFLUOROCARBON HIGH STRETCH
30 — SUPER AJING SHOCK LEADER
47 — TENKARA LEVEL LINE
29 — TROUT AREA FLUOROCARBON

ESTER

41 — CHOD/STIFF RIGS
30 — SUPER ESTER

BRAIDED LINES

31 — 3X PE LIGHT GAMES
73 — 4X PE POWER BRAID
31 — 4X PE SUPER AJING
73 — 4X-8X PE CAMOUFLAGE
33 — 8X PE EGING MASTER
17, 75 — 8X PE EVERGREEN
14 — 8X PE JIGGING MASTER
17, 27, 33, 76 — 8X PE LIGHT GAMES
17, 76 — 8X PE LURE BRAID
32 — 8X PE MICRO BRAID
73 — 8X PE PERFECT STORM
74 — 8X PE POWER BRAID
14 — 8X PE PREDATOR
51 — BACKING LINE
43 — CLASSIC SINKING BRAID HOOKLINK SOFT
42 — COATED SINKING BRAID HOOKLINK SOFT
42 — COATED SINKING BRAID HOOKLINK STIFF
43 — PRO SINKING BRAID HOOKLINK SOFT
38 — SPOD & MARKER
32 — SUPER PE ULTRALIGHT GAMES

Last update: 11/24









Gruppo DP S.p.A.
Via Trento 43/3 - 16145 Genova - ITALY
info@gruppodp.com

WWW.ASSOFISHINGLINE.COM - WWW.GRUPPODP.COM

